

IDAHO STATE DEPARTMENT OF AGRICULTURE

GROUND WATER MONITORING PROGRAM

A SUMMARY OF REGIONAL PROJECT 890, INCLUDING HAMMET/GLENN'S FERRY

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8900101	05 S	08 E	26						
	<i>SampleDate</i>	<i>Nitrate</i>	<i>Nitrite</i>	<i>OrthoP</i>	<i>Chloride</i>	<i>Sulfate</i>	<i>Ammonia</i>	<i>Bromide</i>	<i>Fluoride</i>
		<i>mg/L*</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>
	7/7/2008	1.2	ND	ND	45	57	NA	0.25	0.63

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8900201	05 S	08 E	25						
	<i>SampleDate</i>	<i>Nitrate</i>	<i>Nitrite</i>	<i>OrthoP</i>	<i>Chloride</i>	<i>Sulfate</i>	<i>Ammonia</i>	<i>Bromide</i>	<i>Fluoride</i>
		<i>mg/L*</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>
	7/7/2008	ND	ND	ND	6.5	12	NA	ND	0.74

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8900301	05 S	08 E	34						
	<i>SampleDate</i>	<i>Nitrate</i>	<i>Nitrite</i>	<i>OrthoP</i>	<i>Chloride</i>	<i>Sulfate</i>	<i>Ammonia</i>	<i>Bromide</i>	<i>Fluoride</i>
		<i>mg/L*</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>
	7/7/2008	BDL	5.0	BDL	25	18	NA	0.12	0.86

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8900401	06 S	08 E	2						
	<i>SampleDate</i>	<i>Nitrate</i>	<i>Nitrite</i>	<i>OrthoP</i>	<i>Chloride</i>	<i>Sulfate</i>	<i>Ammonia</i>	<i>Bromide</i>	<i>Fluoride</i>
		<i>mg/L*</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>
	7/7/2008	6.7	ND	ND	51	110	NA	0.13	0.59

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8900501	05 S	08 E	35						
	<i>SampleDate</i>	<i>Nitrate</i>	<i>Nitrite</i>	<i>OrthoP</i>	<i>Chloride</i>	<i>Sulfate</i>	<i>Ammonia</i>	<i>Bromide</i>	<i>Fluoride</i>
		<i>mg/L*</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>	<i>mg/L</i>
	7/7/2008	1.2	ND	ND	31	58	NA	BDL	0.61

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8900601	06 S	08 E	3						
	<i>SampleDate</i>	<i>Nitrate</i> mg/L*	<i>Nitrite</i> mg/L	<i>OrthoP</i> mg/L	<i>Chloride</i> mg/L	<i>Sulfate</i> mg/L	<i>Ammonia</i> mg/L	<i>Bromide</i> mg/L	<i>Fluoride</i> mg/L
	7/7/2008	3.2	ND	ND	39	92	NA	BDL	0.65
<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8900701	05 S	09 E	31						
	<i>SampleDate</i>	<i>Nitrate</i> mg/L*	<i>Nitrite</i> mg/L	<i>OrthoP</i> mg/L	<i>Chloride</i> mg/L	<i>Sulfate</i> mg/L	<i>Ammonia</i> mg/L	<i>Bromide</i> mg/L	<i>Fluoride</i> mg/L
	7/8/2008	1.4	ND	ND	35	93	NA	BDL	0.66
<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8900801	05 S	09 E	34						
	<i>SampleDate</i>	<i>Nitrate</i> mg/L*	<i>Nitrite</i> mg/L	<i>OrthoP</i> mg/L	<i>Chloride</i> mg/L	<i>Sulfate</i> mg/L	<i>Ammonia</i> mg/L	<i>Bromide</i> mg/L	<i>Fluoride</i> mg/L
	7/8/2008	49	ND	ND	120	260	NA	0.29	0.52
<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8900901	06 S	09 E	1						
	<i>SampleDate</i>	<i>Nitrate</i> mg/L*	<i>Nitrite</i> mg/L	<i>OrthoP</i> mg/L	<i>Chloride</i> mg/L	<i>Sulfate</i> mg/L	<i>Ammonia</i> mg/L	<i>Bromide</i> mg/L	<i>Fluoride</i> mg/L
	7/8/2008	0.13	ND	ND	81	1.3	NA	0.55	5.0
<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8901001	05 S	09 E	22						
	<i>SampleDate</i>	<i>Nitrate</i> mg/L*	<i>Nitrite</i> mg/L	<i>OrthoP</i> mg/L	<i>Chloride</i> mg/L	<i>Sulfate</i> mg/L	<i>Ammonia</i> mg/L	<i>Bromide</i> mg/L	<i>Fluoride</i> mg/L
	7/8/2008	1.1	ND	ND	34	80	NA	0.12	0.81
<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8901101	06 S	08 E	1						
	<i>SampleDate</i>	<i>Nitrate</i> mg/L*	<i>Nitrite</i> mg/L	<i>OrthoP</i> mg/L	<i>Chloride</i> mg/L	<i>Sulfate</i> mg/L	<i>Ammonia</i> mg/L	<i>Bromide</i> mg/L	<i>Fluoride</i> mg/L
	7/8/2008	ND	ND	ND	19	3.0	NA	BDL	3.4

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8901201	05 S	10 E	20						
	<i>SampleDate</i>	<i>Nitrate</i> mg/L*	<i>Nitrite</i> mg/L	<i>OrthoP</i> mg/L	<i>Chloride</i> mg/L	<i>Sulfate</i> mg/L	<i>Ammonia</i> mg/L	<i>Bromide</i> mg/L	<i>Fluoride</i> mg/L
	7/8/2008	0.22	ND	ND	11	55	NA	BDL	0.37
<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8901301	05 S	10 E	33						
	<i>SampleDate</i>	<i>Nitrate</i> mg/L*	<i>Nitrite</i> mg/L	<i>OrthoP</i> mg/L	<i>Chloride</i> mg/L	<i>Sulfate</i> mg/L	<i>Ammonia</i> mg/L	<i>Bromide</i> mg/L	<i>Fluoride</i> mg/L
	7/9/2008	BDL	ND	ND	15	28	NA	BDL	8.6
<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8901401	05 S	10 E	28						
	<i>SampleDate</i>	<i>Nitrate</i> mg/L*	<i>Nitrite</i> mg/L	<i>OrthoP</i> mg/L	<i>Chloride</i> mg/L	<i>Sulfate</i> mg/L	<i>Ammonia</i> mg/L	<i>Bromide</i> mg/L	<i>Fluoride</i> mg/L
	7/9/2008	ND	ND	ND	26	ND	NA	0.17	10
<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8901501	05 S	10 E	27						
	<i>SampleDate</i>	<i>Nitrate</i> mg/L*	<i>Nitrite</i> mg/L	<i>OrthoP</i> mg/L	<i>Chloride</i> mg/L	<i>Sulfate</i> mg/L	<i>Ammonia</i> mg/L	<i>Bromide</i> mg/L	<i>Fluoride</i> mg/L
	7/9/2008	0.62	ND	ND	17	370	NA	ND	0.63
<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8901601	06 S	11 E	5						
	<i>SampleDate</i>	<i>Nitrate</i> mg/L*	<i>Nitrite</i> mg/L	<i>OrthoP</i> mg/L	<i>Chloride</i> mg/L	<i>Sulfate</i> mg/L	<i>Ammonia</i> mg/L	<i>Bromide</i> mg/L	<i>Fluoride</i> mg/L
	7/9/2008	ND	ND	ND	9.2	55	NA	ND	0.64
<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8901701	05 S	10 E	25						
	<i>SampleDate</i>	<i>Nitrate</i> mg/L*	<i>Nitrite</i> mg/L	<i>OrthoP</i> mg/L	<i>Chloride</i> mg/L	<i>Sulfate</i> mg/L	<i>Ammonia</i> mg/L	<i>Bromide</i> mg/L	<i>Fluoride</i> mg/L
	7/9/2008	0.080	ND	ND	24	370	NA	0.12	0.51

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8901801	05 S	10 E	24

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
7/9/2008	9.4	ND	ND	49	150	NA	0.13	0.38

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8901901	05 S	10 E	11

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
7/9/2008	4.8	ND	BDL	27	63	NA	ND	0.91

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8902001	05 N	10 E	12

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
7/9/2008	ND	ND	ND	30	64	NA	ND	0.46

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.