

IDAHO STATE DEPARTMENT OF AGRICULTURE

GROUND WATER MONITORING PROGRAM

A SUMMARY OF REGIONAL PROJECT 770, INCLUDING GEM AND PAYETTE COUNTIES

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7700101	06 N	01	16

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/11/1998	0.96	ND	0.38	1.3	3.6	ND	ND	0.13
5/3/1999	1.26	ND	0.55	7	ND	ND	NA	NA
6/1/2000	1.6	ND	0.33	1.2	3.9	ND	ND	0.22
5/29/2001	1.4	ND	0.28	1.3	4.5	BDL	ND	0.22
5/30/2002	1.300	ND	0.37	1.50	4.50	BDL	ND	0.20

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7700201	06 N	01	20

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/11/1998	0.52	ND	0.19	0.53	2	ND	ND	0.16
5/3/1999	0.74	ND	0.27	2	ND	ND	NA	NA
6/1/2000	0.91	ND	0.14	0.79	2.4	ND	ND	0.26
5/30/2001	0.840	ND	BDL	0.79	2.40	BDL	BDL	0.30
5/29/2002	0.840	ND	BDL	0.91	2.30	BDL	ND	0.25

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7700301	06 N	01	09

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/11/1998	1.8	ND	0.39	1.4	5	ND	ND	0.16
4/28/1999	2.4	ND	0.06	2	4	0.06	NA	NA
6/1/2000	2.8	ND	0.43	2	6.6	ND	ND	0.25
5/30/2001	2.80	ND	0.28	2.10	6.00	BDL	BDL	0.27
5/21/2002	1.70	ND	0.39	1.60	12.00	NA	ND	0.29

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7700401	06 N	01	03

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/11/1998	ND	ND	ND	5.7	67	0.58	ND	0.06
4/28/1999	0.07	ND	0.01	6	74	0.5	NA	NA
6/1/2000	ND	ND	ND	5.1	67	0.83	ND	ND
5/30/2001	0.065	ND	BDL	5.40	67.0	0.95	BDL	0.17
5/30/2002	ND	ND	BDL	5.30	66.00	0.76	ND	0.15

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7700501	07 N	01	35

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/11/1998	ND	ND	ND	11	270	ND	ND	0.21
4/28/1999	0.09	ND	0.02	10	335	0.03	NA	NA
6/1/2000	ND	ND	ND	9.4	330	ND	ND	0.38
5/30/2001	ND	ND	BDL	10.0	300.0	BDL	BDL	0.34
5/30/2002	ND	ND	BDL	9.90	330.00	BDL	BDL	0.42

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7700601	07 N	02	35

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/11/1998	3.3	ND	ND	2.1	10	ND	ND	0.13
4/26/1999	3.37	ND	0.21	2	3	ND	NA	NA
6/1/2000	4.9	ND	ND	2.3	9.6	ND	ND	0.33
5/29/2001	4.20	NF	ND	1.70	7.70	0.11	BDL	0.33
5/30/2002	3.300	ND	BDL	1.70	7.00	BDL	ND	0.34
5/15/2003	2.9	ND	BDL	2.1	6.6	BDL	ND	0.28
5/18/2004	3.3	ND	0.12	2.3	6.1	BDL	ND	0.33
5/10/2005	2.0	ND	0.14	0.79	4.3	BDL	ND	0.34
5/11/2006	2.2	ND	0.15	1.1	7.0	BDL	ND	0.39
5/10/2007	2.7	ND	0.15	1.5	8.8	BDL	ND	0.35
5/14/2008	2.5	ND	0.15	1.9	8.0	BDL	ND	0.44
5/12/2009	4.7	ND	0.14	5.1	12	NA	ND	0.35

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7700701	06 N	02	13

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/12/1998	1.3	ND	0.14	1.9	5.7	ND	ND	0.38
5/3/1999	1.4	ND	0.44	6	1	ND	NA	NA
6/1/2000	1	ND	ND	1.4	4.7	ND	ND	0.55
5/29/2001	0.65	ND	ND	2.0	3.8	BDL	BDL	0.60
5/29/2002	0.880	ND	BDL	2.50	5.30	BDL	ND	0.62

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7700801	07 N	04	11

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/12/1998	2.4	ND	0.11	3.6	13	ND	ND	0.18
4/26/1999	2.72	ND	0.19	2	15	ND	NA	NA
6/6/2000	3.2	ND	ND	2.5	12	ND	ND	0.31
5/23/2001	2.8	ND	ND	2.3	NA	BDL	BDL	0.33
5/22/2002	2.60	ND	BDL	2.20	9.80	BDL	ND	0.33
5/14/2003	2.7	ND	BDL	2.8	10	BDL	ND	0.34
5/19/2004	1.8	ND	BDL	2.6	9.3	0.10	BDL	0.53
5/11/2005	2.8	ND	BDL	3.1	9.3	BDL	ND	0.34
5/10/2006	3.3	ND	BDL	3.9	10	BDL	ND	0.29
5/10/2007	3.6	ND	BDL	3.5	9.8	BDL	BDL	0.31
5/15/2008	3.7	ND	BDL	4.2	9.4	BDL	ND	0.35
5/6/2009	3.5	ND	BDL	3.5	8.9	NA	ND	0.34

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7700901	07 N	04	06

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/12/1998	6	ND	0.11	22	56	ND	ND	0.21
4/26/1999	5.12	ND	0.29	22	76	ND	NA	NA
6/7/2000	5.5	ND	ND	24	62	ND	ND	0.33
5/22/2001	5.8	ND	0.13	24.0	56.0	BDL	0.16	0.34
5/21/2002	4.80	ND	BDL	23.00	60.00	BDL	BDL	0.34
5/14/2003	4.5	ND	BDL	18	47	BDL	BDL	0.35
5/11/2005	5.2	ND	BDL	20	59	BDL	BDL	0.38
5/8/2006	6.9	ND	BDL	21	57	BDL	BDL	0.35
5/7/2007	5.5	ND	ND	19	54	BDL	BDL	0.44
5/12/2008	6.7	ND	ND	20	52	BDL	0.11	0.40
5/6/2009	6.6	ND	BDL	18	49	NA	BDL	0.41

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7701001	08 N	04	35

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/12/1998	ND	ND	0.13	1.5	ND	0.59	ND	0.36
4/26/1999	0.09	ND	0.23	2	1	0.57	NA	NA
6/6/2000	ND	ND	ND	1.3	ND	0.67	ND	0.55
5/22/2001	ND	ND	0.13	1.4	BDL	0.74	BDL	0.59
5/21/2002	ND	ND	BDL	1.30	BDL	0.54	ND	0.57
5/14/2003	ND	ND	BDL	1.6	BDL	0.76	ND	0.59
5/19/2004	2.8	ND	0.12	27.0	71	BDL	0.16	0.44
5/12/2005	ND	ND	BDL	1.5	ND	0.66	ND	0.59
5/10/2006	ND	ND	BDL	1.5	BDL	0.64	ND	0.58
5/10/2007	ND	ND	BDL	1.4	ND	0.74	ND	0.64
5/14/2008	ND	ND	BDL	1.6	ND	0.62	ND	0.59
5/11/2009	ND	ND	0.12	1.4	ND	NA	ND	0.60

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7701101	07 N	04	23

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/12/1998	3.8	ND	0.12	19	51	ND	0.1	0.16
4/26/1999	4.37	ND	0.22	11	58	ND	NA	NA
6/7/2000	5.6	ND	ND	17	46	ND	ND	0.29
5/24/2001	4.7	ND	ND	20.0	49.0	BDL	0.18	0.29
5/22/2002	4.90	ND	BDL	19.00	49.00	BDL	BDL	0.29
5/13/2003	4.6	ND	0.12	18	44	BDL	BDL	0.24
5/18/2004	5.4	ND	0.13	20.0	49	BDL	0.11	0.27
5/16/2005	5.1	ND	0.13	20	48	BDL	0.11	0.32
5/10/2006	5.5	ND	0.12	22	52	BDL	0.13	0.28
5/10/2007	6.3	ND	0.10	22	54	BDL	0.11	0.34
5/14/2008	5.5	ND	0.13	19	48	BDL	0.10	0.28
5/6/2009	5.2	ND	0.13	17	46	NA	0.10	0.32

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7701201	07 N	04	24

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/12/1998	ND	ND	ND	10	23	ND	ND	0.13
4/26/1999	0.33	ND	0.18	118	2	ND	NA	NA
6/7/2000	ND	ND	ND	55	0.4	ND	ND	0.24
5/24/2001	ND	ND	ND	81.0	0.27	BDL	BDL	0.18
5/28/2002	ND	ND	ND	170.00	0.34	BDL	ND	BDL
5/13/2003	ND	ND	ND	1.3	4.1	BDL	ND	0.23
5/18/2004	ND	ND	ND	1.4	4.5	BDL	ND	0.24
5/16/2005	ND	ND	ND	1.3	4.9	BDL	ND	0.23
5/10/2006	ND	ND	BDL	1.3	4.5	BDL	ND	0.23
5/10/2007	ND	ND	ND	1.2	5.2	BDL	ND	0.24
5/13/2008	ND	ND	ND	1.3	4.2	BDL	ND	0.22
5/6/2009	ND	ND	BDL	1.2	3.9	NA	ND	0.24

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7701301	07 N	04	04

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/25/1998	1.6	ND	ND	11	29	ND	ND	0.25
4/26/1999	1.52	ND	0.29	7	26	ND	NA	NA
6/7/2000	1.8	ND	ND	10	26	ND	ND	0.36
5/23/2001	1.7	ND	0.13	11.0	26.0	BDL	BDL	0.35
5/21/2002	1.50	ND	BDL	11.00	24.00	BDL	BDL	0.37
5/14/2003	1.5	ND	BDL	11	24	BDL	ND	0.38
5/20/2004	1.7	ND	BDL	11.0	26	BDL	BDL	0.33
5/11/2005	1.8	ND	ND	11	25	BDL	ND	0.40
5/11/2006	1.8	ND	BDL	9.9	24	BDL	ND	0.41
5/10/2007	1.6	ND	BDL	8.9	24	BDL	BDL	0.40
5/13/2008	1.7	ND	ND	10	24	BDL	ND	0.35
5/6/2009	1.5	ND	BDL	9.0	23	NA	ND	0.40

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7701401	07 N	05	03

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/12/1998	ND	ND	ND	22	33	0.11	0.1	0.12
4/29/1999	0.13	ND	0.07	24	47	0.13	NA	NA
6/13/2000	ND	ND	ND	ND	ND	0.18	ND	ND
5/23/2001	ND	ND	0.15	15.0	50.0	0.30	BDL	0.17
5/28/2002	ND	ND	BDL	13.00	54.00	0.27	BDL	0.19
5/14/2003	ND	ND	ND	14	57	0.36	BDL	0.14
5/20/2004	BDL	ND	ND	13.0	53	1.20	BDL	0.16
5/8/2006	ND	ND	ND	13	55	0.30	ND	0.17
5/10/2007	ND	ND	ND	13	52	0.26	BDL	0.20
5/14/2008	ND	ND	ND	13	50	0.22	ND	0.18
5/11/2009	ND	ND	BDL	13	49	NA	ND	0.20

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7701501	07 N	03	31

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/13/1998	ND	ND	ND	15	34	ND	0.1	0.1
4/26/1999	0.13	ND	0.11	18	46	ND	NA	NA
6/7/2000	0.94	ND	ND	18	ND	ND	ND	0.18
5/24/2001	0.68	ND	0.13	18.0	40.0	BDL	0.17	0.18
5/22/2002	ND	ND	BDL	18.00	45.00	BDL	BDL	0.14
5/13/2003	0.83	ND	ND	18	38	BDL	BDL	BDL
5/18/2004	0.93	ND	ND	18.0	42	BDL	0.14	0.16
5/10/2005	ND	ND	ND	18	43	BDL	0.13	0.18
5/10/2006	ND	ND	ND	20	45	BDL	0.16	0.16
5/10/2007	ND	ND	ND	18	51	BDL	0.17	0.19
5/13/2008	ND	ND	ND	20	44	BDL	0.15	0.16
5/6/2009	0.89	ND	BDL	15	37	NA	0.11	0.20

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7701601	07 N	04	06

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/13/1998	ND	ND	ND	46	70	0.15	0.2	0.15
4/26/1999	0.13	ND	0.29	21	48	0.19	NA	NA
6/7/2000	ND	ND	ND	16	29	0.35	ND	0.3
5/23/2001	ND	ND	ND	19.0	33.0	0.41	BDL	0.29
5/22/2002	BDL	ND	ND	16.00	28.00	0.54	BDL	0.33
5/13/2003	ND	ND	ND	30	46	0.38	0.15	0.23
5/19/2004	7.4	ND	0.12	66.0	200	BDL	0.48	0.22
5/11/2005	ND	ND	ND	23	40	0.46	0.11	0.32
5/8/2006	BDL	ND	ND	30	47	0.46	0.16	0.28
5/10/2007	ND	ND	ND	18	32	0.51	BDL	0.36
5/13/2008	ND	ND	ND	20	32	0.58	0.11	0.30
5/6/2009	ND	ND	BDL	21	33	NA	BDL	0.33

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7701701	08 N	04	20

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/13/1998	6.7	ND	0.11	22	150	0.21	0.1	0.46
4/29/1999	12.2	0.068	0.24	20	200	0.12	NA	NA
6/7/2000	6.8	ND	ND	20	120	0.12	ND	0.69
5/22/2001	7.10	ND	ND	25.0	160.0	0.22	0.20	1.10
5/21/2002	9.20	0.100	0.10	33.00	190.00	0.11	0.20	1.20
5/14/2003	6.1	ND	BDL	34	170	0.28	0.17	0.94
5/19/2004	5.4	ND	BDL	16.0	53	BDL	0.11	0.60
5/12/2005	4.2	ND	BDL	29	150	0.20	0.17	0.99
5/10/2006	22	NA	0.11	44	160	0.26	0.21	1.3
5/7/2007	6.7	ND	BDL	35	140	0.37	0.18	1.0
5/13/2008	3.5	ND	0.12	30	120	0.28	0.17	1.2
5/12/2009	2.3	ND	0.14	29	110	NA	0.17	1.1

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7701801	08 N	04	26

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/13/1998	ND	ND	ND	12	4.5	0.07	0.1	0.15
5/5/1999	2	ND	0.14	9	2	0.08	NA	NA
6/8/2000	ND	ND	ND	9.8	4.6	0.12	ND	0.25
5/22/2001	ND	ND	0.15	10.0	4.0	0.18	BDL	0.28
5/20/2002	ND	ND	ND	11.00	1.80	BDL	BDL	0.27
5/14/2003	ND	ND	ND	13	1.2	0.15	BDL	0.27
5/19/2004	ND	ND	ND	4.2	11.0	BDL	BDL	0.27
5/23/2005	ND	ND	ND	11	1.2	0.11	0.14	0.30
5/10/2006	ND	ND	ND	10	3.2	0.13	0.11	0.25
5/10/2007	ND	ND	ND	11	0.76	BDL	0.10	0.26
5/14/2008	ND	ND	ND	11	1.8	0.10	0.11	0.29
5/11/2009	ND	ND	BDL	10	BDL	NA	0.12	0.29

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7701901	07 N	04	15

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/13/1998	2.7	ND	0.12	32	84	ND	0.2	0.17
4/29/1999	2.88	ND	0.22	38	95	0.08	NA	NA
6/7/2000	3	ND	ND	27	73	ND	0.15	0.33
5/23/2001	2.6	ND	0.16	32.0	79.0	BDL	0.19	0.34
5/20/2002	2.50	ND	ND	31.00	79.00	BDL	0.19	0.39
5/14/2003	2.7	ND	BDL	37	88	BDL	0.18	0.32
5/19/2004	ND	ND	0.10	1.30	ND	0.58	BDL	0.59
5/10/2006	3.4	ND	0.13	31	77	BDL	0.18	0.46
5/10/2007	3.1	ND	ND	33	77	BDL	0.17	0.36
5/15/2008	3.1	ND	0.12	31	74	BDL	0.16	0.29
5/6/2009	3.2	ND	0.11	27	67	NA	0.16	0.36

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7702001	08 N	04	09

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/14/1998	10	ND	0.09	94	210	ND	0.4	0.1
4/29/1999	15.5	ND	0.21	97	265	ND	NA	NA
6/8/2000	13	ND	ND	100	230	ND	0.67	0.33
5/22/2001	9.5	ND	ND	72.0	180.0	0.11	0.62	0.24
5/20/2002	11.00	ND	BDL	79.00	200.00	BDL	0.59	0.29
5/14/2003	11	ND	BDL	92	210	BDL	0.6	BDL
5/19/2004	ND	ND	ND	21.0	35	0.24	0.11	0.3
5/17/2005	10	ND	0.11	76	220	BDL	0.56	0.30
5/10/2006	14	ND	BDL	100	220	BDL	0.61	0.23
5/8/2007	14	ND	0.14	110	210	BDL	0.61	0.25
5/14/2008	15	ND	BDL	76	170	BDL	0.47	0.28
5/11/2009	12	ND	0.12	68	170	NA	0.50	0.24

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7702101	07 N	05	14

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/14/1998	1.8	ND	ND	38	80	ND	0.2	0.25
5/3/1999	2.4	ND	0.52	46	110	ND	NA	NA
6/13/2000	2.8	ND	ND	ND	ND	ND	ND	ND
5/24/2001	1.9	ND	ND	28.0	79.0	BDL	0.18	0.41
5/28/2002	1.60	ND	BDL	20.00	59.00	BDL	BDL	0.47
5/14/2003	1.6	ND	ND	19	66	BDL	BDL	0.41
5/20/2004	1.9	ND	ND	19.0	60	BDL	0.10	0.50
5/17/2005	1.9	ND	ND	20	64	BDL	0.12	0.43
5/8/2006	1.9	ND	ND	25	67	BDL	0.14	0.42
5/10/2007	2.0	ND	ND	21	71	BDL	0.12	0.47
5/14/2008	1.6	ND	ND	17	51	BDL	BDL	0.46
5/11/2009	1.6	ND	ND	22	59	NA	0.17	0.41

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7702201	07 N	03	31

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/14/1998	1.6	ND	ND	12	33	ND	ND	0.32
4/26/1999	1.78	ND	0.21	8	41	ND	NA	NA
6/8/2000	1.5	ND	ND	10	29	ND	ND	0.58
5/24/2001	1.4	ND	0.13	10.0	27.0	BDL	BDL	0.60
5/22/2002	1.40	ND	BDL	9.30	27.00	BDL	ND	0.57
5/13/2003	1.4	ND	ND	9.1	28	BDL	BDL	0.52
5/18/2004	1.5	ND	ND	8.9	27	BDL	BDL	0.55
5/10/2005	1.6	ND	ND	9.4	27	BDL	BDL	0.58
5/10/2006	1.5	ND	BDL	8.9	25	BDL	BDL	0.53
5/10/2007	1.5	ND	ND	8.7	25	BDL	BDL	0.50
5/13/2008	1.8	ND	ND	8.7	27	BDL	ND	0.48
5/6/2009	2.0	ND	BDL	10	28	NA	BDL	0.51

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7702301	06 N	01	08

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/14/1998	ND	ND	ND	1.4	5	ND	ND	0.26
4/28/1999	0.07	ND	0.02	2	5	0.08	NA	NA
6/1/2000	ND	ND	ND	1.7	9.8	ND	ND	1
5/30/2001	ND	ND	BDL	1.90	7.40	BDL	BDL	0.41
5/30/2002	ND	ND	BDL	1.70	8.60	BDL	ND	1.10

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
7702401	06 N	01	09						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
5/14/1998	ND	ND	ND	3.2	38	ND	ND	0.34	
4/28/1999	0.06	ND	0.02	2	44	ND	NA	NA	
6/1/2000	ND	ND	ND	2.5	39	ND	ND	0.44	
6/20/2002	ND	ND	ND	2.40	37.00	BDL	ND	0.48	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
7702501	07 N	04	16						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
5/26/1998	8.5	ND	ND	20	57	ND	ND	0.33	
4/26/1999	6.62	ND	0.37	22	74	ND	NA	NA	
6/7/2000	7.9	ND	ND	19	55	ND	ND	0.52	
5/24/2001	8.2	ND	0.23	15.0	53.0	BDL	BDL	0.51	
5/22/2002	6.50	ND	BDL	19.00	57.00	BDL	BDL	0.48	
5/13/2003	7.7	ND	BDL	26	68	BDL	0.16	0.4	
5/19/2004	7.3	ND	0.13	28.0	160	0.10	0.18	1.2	
5/11/2005	5.0	ND	0.11	17	60	BDL	0.11	0.46	
5/11/2006	5.0	ND	0.12	16	52	BDL	BDL	0.55	
5/10/2007	4.9	ND	BDL	13	53	BDL	BDL	0.49	
5/13/2008	4.8	ND	BDL	12	45	BDL	BDL	0.60	
5/12/2009	5.0	ND	0.10	14	47	NA	0.10	0.62	

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7702601	07 N	03	15

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/18/1998	ND	ND	ND	5.2	26	0.19	ND	0.07
4/26/1999	0.13	ND	0.26	8	42	0.15	NA	NA
6/5/2000	ND	ND	ND	5.9	28	0.2	ND	0.15
5/29/2001	ND	ND	ND	8.0	33.0	0.17	BDL	0.14
6/13/2002	ND	ND	ND	9.30	37.00	0.19	BDL	0.16
5/15/2003	ND	ND	ND	9.2	31	0.29	BDL	BDL
5/18/2004	ND	ND	ND	9.3	37	BDL	BDL	BDL
5/10/2005	ND	ND	ND	10	39	0.19	BDL	0.18
5/11/2006	ND	ND	BDL	8.6	37	0.19	BDL	BDL
5/10/2007	ND	ND	ND	8.0	31	0.19	BDL	0.16
5/14/2008	ND	ND	ND	9.0	36	0.16	BDL	BDL
5/12/2009	ND	ND	ND	7.1	30	NA	ND	0.16

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7702701	07 N	03	15

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
4/19/1995	0.1	NA	NA	NA	NA	NA	NA	NA
5/18/1998	ND	ND	ND	8.9	23	0.17	ND	0.12
4/26/1999	0.3	ND	0.12	2	32	ND	NA	NA
6/5/2000	0.18	ND	ND	ND	ND	ND	ND	ND
5/29/2001	0.230	ND	ND	5.40	27.0	BDL	BDL	0.16
6/13/2002	0.19	ND	ND	5.40	27.00	BDL	ND	0.19
5/15/2003	0.32	ND	ND	6.2	28	BDL	ND	0.16
5/18/2004	0.34	ND	ND	5.6	28	BDL	ND	BDL
5/10/2005	0.33	ND	ND	5.0	25	BDL	ND	0.16
5/11/2006	0.49	ND	BDL	5.7	26	BDL	ND	BDL
5/10/2007	0.38	ND	ND	5.1	25	BDL	ND	0.15
5/14/2008	0.49	ND	ND	5.3	25	BDL	ND	BDL
5/12/2009	0.53	ND	BDL	4.8	25	NA	ND	0.17

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7702801	06 N	02	03

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/18/1998	1.2	ND	0.14	1.3	6.2	ND	ND	0.22
4/26/1999	1.29	ND	0.48	2	2	ND	NA	NA
6/5/2000	2.3	ND	ND	1.1	8.5	ND	ND	0.37
5/29/2001	1.60	ND	ND	0.98	6.90	BDL	BDL	0.40
5/30/2002	1.50	ND	0.11	1.00	6.80	BDL	ND	0.44
5/15/2003	1.5	ND	BDL	1.5	6.8	BDL	ND	0.42
5/18/2004	1.2	ND	0.15	1.2	5.0	BDL	ND	0.43
5/10/2005	1.3	ND	0.15	1.2	4.7	BDL	ND	0.51
5/11/2006	1.8	ND	0.13	1.7	7.2	BDL	ND	0.50
5/10/2007	2.4	ND	0.14	2.7	9.6	BDL	ND	0.49
5/14/2008	2.4	ND	0.11	3.1	11	BDL	ND	0.45
5/12/2009	2.1	ND	0.14	3.7	12	NA	ND	0.44

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7702901	07 N	03	18

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/18/1998	ND	ND	ND	1.2	4.7	0.09	ND	0.22
5/3/1999	0.08	0.003	0.23	3	1	0.11	NA	NA
6/8/2000	ND	ND	ND	1.2	4.6	0.13	ND	0.3
5/24/2001	ND	ND	0.13	1.2	5.0	0.15	BDL	0.31
5/20/2002	ND	ND	ND	1.10	4.70	0.14	ND	0.31
5/14/2003	ND	ND	ND	1.3	5.5	0.18	ND	0.32
5/18/2004	ND	ND	ND	1.1	5.1	BDL	ND	0.3
5/10/2005	ND	ND	ND	1.2	5.2	0.14	ND	0.30
5/10/2006	ND	ND	BDL	1.3	NA	0.37	ND	0.32
5/14/2008	ND	ND	ND	1.1	4.9	0.13	ND	0.29
5/6/2009	ND	ND	BDL	1.1	5.0	NA	ND	0.31

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7703001	07 N	04	03

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/18/1998	4.1	ND	0.1	4.6	12	ND	ND	0.26
4/26/1999	8.96	ND	0.32	4	22	ND	NA	NA
6/6/2000	1.4	ND	ND	1.8	5.6	ND	ND	0.52
5/23/2001	2.2	ND	ND	2.9	8.5	BDL	BDL	0.49
5/22/2002	2.80	ND	BDL	3.00	10.00	BDL	ND	0.48
5/14/2003	3.7	ND	BDL	4.3	14	BDL	ND	0.46
5/19/2004	2.9	ND	BDL	3.0	9.9	BDL	BDL	3.1
5/11/2005	2.9	ND	BDL	3.7	14	BDL	ND	0.51
5/10/2006	4.7	ND	BDL	4.4	19	BDL	ND	0.40
5/10/2007	4.4	ND	BDL	5.2	17	BDL	ND	0.45
5/15/2008	4.5	ND	ND	5.9	18	BDL	ND	0.46
5/6/2009	4.7	ND	BDL	7.2	20	NA	ND	0.44

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7703101	08 N	04	06

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/19/1998	ND	ND	ND	9	42	2.07	ND	0.1
5/5/1999	0.25	ND	0.46	12	52	2.96	NA	NA
6/8/2000	ND	ND	ND	9	42	2.3	ND	0.19
5/22/2001	ND	ND	0.13	8.7	42.0	2.7	BDL	0.21
5/20/2002	ND	ND	ND	8.80	41.00	2.00	BDL	0.20

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7703201	07 N	04	05

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/19/1998	2.9	ND	ND	10	28	ND	ND	0.25
5/3/1999	2.85	ND	0.48	9	31	ND	NA	NA
6/6/2000	2.9	ND	ND	12	33	ND	ND	0.42
5/23/2001	4.3	ND	0.14	15.0	35.0	BDL	BDL	0.43
5/22/2002	4.80	ND	BDL	15.00	37.00	BDL	BDL	0.40
5/13/2003	4.3	ND	BDL	16	37	BDL	BDL	0.35
5/19/2004	5.4	ND	BDL	18.0	40	BDL	BDL	0.48
5/12/2005	5.1	ND	ND	16	35	BDL	BDL	0.41
5/8/2006	7.6	ND	ND	20	42	BDL	BDL	0.40
5/10/2007	8.0	ND	ND	17	43	BDL	BDL	0.42
5/13/2008	6.3	ND	ND	17	37	BDL	BDL	0.46
5/6/2009	5.6	ND	BDL	14	35	NA	ND	0.40

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7703301	06 N	03	12

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/19/1998	ND	ND	ND	2.8	11	ND	ND	0.23
5/3/1999	0.08	ND	0.14	5	11	0.06	NA	NA
6/5/2000	0.11	ND	ND	2.7	11	ND	ND	0.34
5/30/2001	0.110	ND	ND	2.90	11.0	BDL	BDL	0.37
5/30/2002	0.110	ND	ND	2.90	11.00	BDL	ND	0.38
5/13/2003	0.057	ND	ND	2.6	9.9	BDL	ND	0.32
5/18/2004	BDL	ND	ND	2.8	11	BDL	ND	0.35
5/16/2005	BDL	ND	ND	2.4	9.4	BDL	ND	0.34
5/11/2006	BDL	ND	BDL	2.5	10	BDL	ND	0.36
5/10/2007	0.067	ND	ND	2.6	11	BDL	ND	0.39
5/13/2008	0.092	ND	ND	2.9	11	BDL	ND	0.34
5/14/2009	BDL	ND	BDL	2.5	10	NA	ND	0.38

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7703401	07 N	03	24

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/19/1998	2.8	ND	0.13	2.7	13	ND	ND	0.24
4/26/1999	3.09	ND	0.39	2	15	ND	NA	NA
6/5/2000	2.7	ND	ND	2.6	14	ND	ND	0.44
6/12/2001	2.6	ND	ND	2.30	12.0	BDL	BDL	0.48
6/20/2002	3.00	ND	ND	2.40	11.00	BDL	ND	0.45
5/15/2003	3.5	ND	BDL	2.7	12	BDL	ND	0.47
5/11/2006	3.8	ND	0.11	3.6	11	BDL	ND	0.47

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7703501	07 N	04	09

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/20/1998	ND	ND	ND	3.2	8.6	0.14	ND	0.17
4/26/1999	0.07	ND	0.23	3	8	0.16	NA	NA
6/6/2000	ND	ND	ND	4	9	0.19	ND	0.27
5/23/2001	ND	ND	0.15	3.5	9.3	0.12	BDL	0.28
5/21/2002	BDL	ND	ND	3.60	9.40	0.20	ND	0.30
5/13/2003	BDL	ND	ND	4.2	10	0.22	ND	0.25
5/19/2004	ND	ND	ND	11.0	0.39	BDL	0.12	0.25
5/11/2005	ND	ND	ND	5.0	12	0.19	ND	0.28
5/11/2006	ND	ND	BDL	4.9	12	0.19	ND	0.26
5/10/2007	0.051	ND	ND	4.9	12	0.21	BDL	0.30
5/14/2008	BDL	ND	ND	4.7	11	0.18	ND	0.26
5/6/2009	ND	ND	BDL	5.0	12	NA	ND	0.26

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7703601	08 N	05	24

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/20/1998	11	ND	0.16	13	70	ND	ND	0.21
4/29/1999	16.4	ND	0.31	6	85	ND	NA	NA
6/13/2000	17.00	ND	ND	ND	ND	ND	ND	ND
5/22/2001	12.0	ND	0.14	8.4	66.0	BDL	BDL	0.49
5/28/2002	12.00	ND	0.11	7.70	62.00	BDL	BDL	0.56
5/14/2003	15	ND	0.11	8.1	88	NA	BDL	0.42
5/20/2004	16.0	ND	0.14	7.20	58	BDL	BDL	0.59
5/17/2005	16	ND	0.14	7.2	56	BDL	BDL	0.54
5/10/2006	16	ND	0.13	7.3	59	BDL	BDL	0.61
5/7/2007	14	ND	0.14	7.0	59	BDL	ND	0.53
5/13/2008	14	ND	0.12	7.2	58	BDL	ND	0.54
5/11/2009	13	ND	0.14	6.3	52	NA	ND	0.51

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7703701	07 N	05	01

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/20/1998	ND	ND	ND	3.3	7.7	0.35	ND	0.3
4/29/1999	0.13	ND	0.11	3	5	0.31	NA	NA
6/13/2000	ND	ND	ND	ND	ND	0.41	ND	ND
6/12/2001	ND	ND	ND	130.0	220.0	0.33	0.27	0.48
5/29/2002	ND	ND	BDL	6.90	14.00	0.38	ND	0.46
5/14/2003	ND	ND	ND	7.1	15	0.47	ND	0.46
5/20/2004	ND	ND	ND	5.90	13	0.23	BDL	0.48
5/11/2005	ND	ND	ND	6.4	13	0.48	ND	0.48
5/8/2006	BDL	ND	ND	19	33	0.42	BDL	0.38
5/7/2007	ND	ND	ND	15	30	0.48	ND	0.41
5/12/2009	ND	ND	BDL	12	24	NA	ND	0.44

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7703801	08 N	04	03

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/20/1998	ND	ND	ND	8.5	37	0.68	ND	0.1
4/29/1999	0.13	ND	0.08	8	50	0.73	NA	NA
6/8/2000	ND	ND	ND	9.5	41	0.83	ND	0.16
5/22/2001	ND	ND	0.14	9.8	41.0	0.96	BDL	0.17
5/20/2002	BDL	ND	ND	9.80	41.00	0.81	BDL	0.17
5/14/2003	ND	ND	ND	11	46	0.79	BDL	0.19
5/19/2004	1.2	ND	BDL	2.2	7.5	BDL	BDL	0.74
5/17/2005	ND	ND	ND	12	47	0.91	BDL	0.19
5/10/2006	ND	ND	BDL	12	54	0.86	BDL	BDL
5/8/2007	ND	ND	ND	13	52	0.91	0.11	0.19
5/14/2008	ND	ND	ND	13	52	0.83	BDL	0.18
5/11/2009	ND	ND	BDL	12	50	NA	BDL	0.18

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7703901	08 N	04	34

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/20/1998	0.29	ND	ND	240	51	ND	0.1	0.15
4/26/1999	0.37	0.004	0.42	89	49	0.08	NA	NA
6/6/2000	ND	ND	ND	51	23	0.2	ND	0.42
6/12/2001	ND	ND	ND	5.10	11.0	0.34	BDL	0.47
5/21/2002	ND	ND	ND	58.00	21.00	BDL	BDL	0.62
5/14/2003	ND	ND	ND	47	17	0.13	BDL	0.69
5/19/2004	5.6	ND	BDL	16.0	54	0.58	0.11	0.60
5/12/2005	BDL	ND	ND	32	13	0.26	ND	0.41
5/10/2006	0.42	ND	BDL	51	17	BDL	ND	0.75
5/10/2007	1.3	ND	ND	42	28	BDL	0.10	0.50
5/14/2008	0.22	ND	ND	35	17	BDL	BDL	0.63

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7704001	07 N	05	22

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/20/1998	ND	ND	ND	1.5	4.1	ND	ND	0.24
5/3/1999	0.07	ND	0.49	4	2	ND	NA	NA
6/13/2000	ND	ND	ND	ND	ND	ND	ND	ND
5/24/2001	ND	ND	ND	1.2	4.2	BDL	BDL	0.37
5/29/2002	ND	ND	ND	1.20	4.60	BDL	ND	0.37
5/14/2003	ND	ND	ND	1.4	4.9	BDL	ND	0.38
5/20/2004	ND	ND	ND	1.30	4.6	BDL	BDL	0.38
5/23/2005	ND	ND	ND	1.5	4.8	BDL	ND	0.40
5/8/2006	ND	ND	ND	1.6	5.3	BDL	ND	0.37
5/10/2007	ND	ND	ND	1.6	5.9	BDL	ND	0.40
5/14/2008	ND	ND	ND	2.1	5.9	BDL	ND	0.38
5/11/2009	ND	ND	BDL	2.6	6.9	NA	ND	0.36

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7704101	07 N	04	05

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/26/1998	3	ND	ND	4.3	15	ND	ND	0.37
4/29/1999	2.55	ND	0.09	6	21	ND	NA	NA
6/6/2000	2.1	ND	ND	3.7	13	ND	ND	0.6
5/22/2001	1.6	ND	ND	5.4	18.0	BDL	BDL	0.59
5/21/2002	1.40	ND	BDL	4.80	17.00	BDL	ND	0.58
5/13/2003	0.95	ND	BDL	2.1	6.8	BDL	ND	0.65
5/19/2004	ND	ND	ND	10.0	49	0.77	BDL	0.15
5/12/2005	1.6	ND	BDL	3.2	9.1	BDL	ND	0.72
5/11/2006	1.3	ND	BDL	3.2	8.3	BDL	ND	0.73
5/10/2007	1.7	ND	BDL	2.8	8.8	BDL	ND	0.73
5/15/2008	1.5	ND	ND	5.8	17	BDL	ND	0.61
5/15/2008	1.5	ND	ND	5.8	17	BDL	ND	0.61

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
7704201	06 N	03	04						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
5/26/1998	0.76	ND	ND	7.1	13	ND	ND	0.14	
5/3/1999	0.9	ND	0.19	8	14	ND	NA	NA	
6/5/2000	0.95	ND	ND	8.7	17	ND	ND	0.21	
5/24/2001	0.92	ND	0.14	9.8	18.0	BDL	BDL	0.21	
5/30/2002	0.980	ND	BDL	10.0	18.0	BDL	BDL	0.20	
5/15/2003	1	ND	ND	9.4	18	BDL	BDL	0.21	
5/18/2004	1.1	ND	ND	9.9	18	BDL	BDL	0.19	
5/11/2005	1.1	ND	ND	11	19	BDL	BDL	0.23	
5/10/2006	1.1	ND	BDL	11	19	BDL	0.11	0.22	
5/10/2007	1.2	ND	ND	10	20	BDL	0.13	0.24	
5/13/2008	1.2	ND	ND	11	21	BDL	0.12	0.21	
5/14/2009	1.2	ND	BDL	12	21	NA	BDL	0.22	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
7704301	06 N	02	26						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
5/26/1998	ND	ND	ND	1.1	20	0.18	ND	0.26	
5/3/1999	0.07	ND	0.28	2	22	0.17	NA	NA	
6/5/2000	ND	ND	ND	1.1	21	0.26	ND	0.35	
5/30/2001	ND	ND	ND	1.20	21.00	0.28	BDL	0.37	
5/29/2002	ND	ND	BDL	1.20	22.00	0.22	ND	0.36	

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
7704401	06 N	01	16						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
5/26/1998	3.4	ND	0.27	2.2	6.1	ND	ND	0.18	
5/3/1999	3.8	ND	0.63	4	ND	ND	NA	NA	
6/5/2000	3.5	ND	0.23	2.1	5.1	ND	ND	0.26	
5/30/2001	3.10	ND	0.15	1.70	4.60	BDL	ND	0.30	
5/29/2002	2.90	ND	0.21	1.50	4.50	BDL	ND	0.30	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
7704501	07 N	01	22						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
5/27/1998	1.3	ND	ND	19	43	0.2	ND	0.71	
4/28/1999	2.75	0.003	0.01	4	28	0.03	NA	NA	
6/5/2000	2.1	ND	ND	18	38	ND	ND	0.88	
5/29/2001	1.2	ND	ND	19.0	36.0	BDL	BDL	1.0	
5/30/2002	0.640	ND	BDL	15.00	29.00	BDL	ND	1.00	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
7704601	08 N	05	15						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
5/19/2003	ND	ND	BDL	15	47	2	BDL	0.3	
5/20/2004	ND	ND	BDL	15.0	54	1.9	0.11	0.30	
5/17/2005	0.12	ND	ND	17	47	2.0	BDL	0.33	
5/10/2006	ND	ND	BDL	11	50	2.0	0.10	0.27	
5/7/2007	BDL	ND	ND	16	50	2.1	0.11	0.37	
5/12/2008	ND	ND	ND	12	52	2.1	0.11	0.28	
5/12/2009	ND	ND	BDL	12	49	NA	BDL	0.32	

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7704701	07 N	05	09

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/19/2003	3.5	ND	ND	12	28	1	BDL	0.13

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7704801	07 N	04	18

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/19/2003	ND	ND	ND	26	46	0.22	BDL	0.17
5/20/2004	ND	ND	ND	27.0	50	BDL	0.14	0.19
5/17/2005	ND	ND	ND	27	47	BDL	0.12	0.25
5/11/2006	BDL	ND	BDL	27	48	BDL	0.13	0.22
5/10/2007	BDL	ND	ND	27	57	BDL	0.17	0.24
5/14/2008	ND	ND	ND	26	47	BDL	0.11	0.21
5/11/2009	ND	ND	BDL	25	46	NA	0.15	0.22

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
7704901	08 N	05	04

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
5/19/2003	ND	ND	ND	5.5	4.6	0.28	ND	0.46
5/20/2004	ND	ND	0.16	17.0	6.0	BDL	BDL	0.47
5/17/2005	ND	ND	0.14	39	6.6	BDL	ND	0.52
5/10/2006	ND	ND	ND	450	NA	0.21	ND	0.69
5/10/2007	ND	ND	ND	13	6.2	BDL	ND	0.41
5/15/2008	ND	ND	BDL	63	5.2	BDL	ND	0.47
5/12/2009	ND	ND	0.15	110	8.2	NA	ND	0.56

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
7705101	08 N	04	30						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
5/19/2003	8.6	ND	0.16	44	110	BDL	BDL	0.56	
5/20/2004	10.0	ND	0.17	24.0	100	BDL	0.13	0.65	
5/23/2005	9.4	ND	0.24	20	88	BDL	0.14	0.66	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
7705201	08 N	05	25						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
5/19/2003	4.5	ND	0.19	8.6	24	0.22	ND	0.36	
5/20/2004	6.5	ND	0.22	10.0	24	BDL	BDL	0.48	
5/17/2005	5.8	ND	0.24	8.9	23	BDL	ND	0.50	
5/8/2006	7.2	ND	0.21	12	20	NA	ND	0.35	
5/7/2007	10	ND	0.22	12	26	BDL	ND	0.49	
5/12/2008	8.4	ND	0.19	10	25	BDL	ND	0.53	
11/6/2008	NA	NA	NA	NA	NA	NA	NA	NA	
5/5/2009	7.3	ND	0.22	9.6	23	NA	ND	0.48	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
7705301	08 N	05	24						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
5/19/2003	17	ND	0.12	15	37	BDL	BDL	0.61	
5/20/2004	14.0	ND	0.15	12.0	32	BDL	BDL	0.86	
5/17/2005	13	ND	0.16	10	31	BDL	ND	0.71	
5/8/2006	14	ND	0.17	12	32	BDL	ND	0.71	
5/7/2007	11	ND	0.14	12	35	0.46	ND	0.70	
5/12/2008	12	ND	0.14	12	36	BDL	ND	0.66	
5/11/2009	11	ND	0.14	9.5	36	NA	ND	0.63	

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
7705401	08 N	05	05						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
5/19/2003	ND	ND	ND	9.6	12	1	BDL	0.14	
5/20/2004	ND	ND	ND	8.6	9.5	0.82	BDL	0.16	
5/17/2005	ND	ND	ND	8.6	9.2	1.0	BDL	0.19	
5/10/2006	ND	ND	BDL	9.0	9.4	0.96	BDL	0.17	
5/8/2007	ND	ND	ND	8.9	12	0.96	BDL	0.21	
5/15/2008	ND	ND	ND	8.9	10	0.92	BDL	0.19	
5/12/2009	ND	ND	BDL	8.7	11	NA	BDL	0.20	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
7705501	08	04	30						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
5/19/2003	ND	ND	ND	75	100	1.1	0.25	0.3	
5/20/2004	ND	ND	ND	53.0	97	0.88	0.23	0.32	
5/17/2005	ND	ND	ND	45	92	1.1	0.18	0.31	
5/11/2006	ND	ND	BDL	64	98	1.1	0.23	0.31	
5/7/2007	ND	ND	ND	49	89	1.0	0.19	0.39	
5/12/2008	BDL	ND	ND	64	95	1.0	0.24	0.24	
5/6/2009	BDL	ND	BDL	51	79	NA	0.20	0.33	

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
7705601	07 N	05	09						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/23/2003	2.9	ND	BDL	43	110	BDL	0.23	0.22	
5/20/2004	3.0	ND	ND	45.0	110	BDL	0.24	0.29	
5/17/2005	3.1	ND	ND	44	100	BDL	0.26	0.31	
5/8/2006	3.4	ND	ND	48	110	BDL	0.24	0.30	
5/10/2007	4.0	ND	ND	49	110	BDL	0.26	0.25	
5/14/2008	4.0	ND	ND	46	110	BDL	0.23	0.30	
5/11/2009	4.0	ND	BDL	45	110	NA	0.24	0.30	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
7705701	08 N	05	12						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/23/2003	1.1	ND	ND	41	140	0.79	BDL	BDL	
5/20/2004	8.2	ND	ND	41.0	150	0.69	0.22	0.76	
5/17/2005	9.2	ND	BDL	35	130	0.70	0.23	0.80	
5/10/2006	5.7	ND	BDL	43	150	0.60	0.23	0.60	
5/8/2007	4.3	ND	BDL	40	140	0.85	0.25	0.69	
5/14/2008	5.0	ND	BDL	36	130	0.22	0.20	0.76	
5/11/2009	4.4	ND	BDL	38	140	NA	0.22	0.68	

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.