

IDAHO STATE DEPARTMENT OF AGRICULTURE

GROUND WATER MONITORING PROGRAM

A SUMMARY OF REGIONAL PROJECT 805, INCLUDING ASHTON

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8050101	07 N	42 E	30

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
6/4/2003	0.059	ND	ND	2.6	1.5	BDL	ND	1.9
6/7/2004	0.15	ND	ND	5.2	2.3	BDL	ND	1.8
6/6/2005	BDL	ND	ND	4.2	1.7	NA	ND	1.8
6/5/2006	BDL	ND	ND	3.5	1.7	NA	ND	1.9
6/14/2007	0.12	ND	BDL	5.7	2.4	NA	ND	1.5
6/16/2008	0.29	ND	ND	4.3	2.2	NA	ND	1.8
6/9/2009	0.10	ND	ND	3.0	1.6	NA	ND	2.0

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8050201	07 N	42 E	01

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
6/3/2003	11	ND	ND	11	9.3	NA	ND	0.54
6/9/2004	9.6	ND	BDL	13	9.2	BDL	ND	0.66
6/8/2005	9.9	ND	BDL	15	9.7	NA	ND	0.62
6/1/2006	11	ND	BDL	12	9.4	NA	ND	0.61
6/12/2007	13	ND	BDL	11	9.4	NA	BDL	0.59
6/19/2008	13	ND	ND	10	9.3	NA	ND	0.57
6/9/2009	12	ND	ND	11	9.4	NA	ND	0.56

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8050301	08 N	43 E	30						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/3/2003	9.8	ND	ND	5.3	11	BDL	ND	0.4	
6/9/2004	11	ND	ND	3.7	10	BDL	ND	0.5	
6/6/2005	8.5	ND	ND	3.0	8.6	NA	ND	0.42	
6/1/2006	10	ND	BDL	3.8	10	NA	ND	0.50	
6/12/2007	8.9	ND	BDL	4.0	9.4	NA	ND	0.52	
6/17/2008	9.0	ND	ND	4.2	9.7	NA	ND	0.56	
6/9/2009	9.4	ND	ND	4.8	10	NA	ND	0.60	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8050401	07 N	44 E	01						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/4/2003	6.3	ND	BDL	4.1	6.5	BDL	ND	0.13	
6/10/2004	6.4	ND	BDL	3.9	6.3	BDL	ND	0.16	
6/8/2005	7.3	ND	BDL	4.8	6.9	NA	ND	0.18	
6/1/2006	6.5	ND	BDL	4.6	6.9	NA	ND	0.18	
6/5/2007	8.2	ND	ND	5.8	8.0	NA	ND	0.20	
6/18/2008	6.2	ND	ND	4.4	6.8	NA	ND	0.17	
6/9/2009	5.8	ND	ND	3.6	6.5	NA	ND	0.17	

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8050501	06 N	45 E	08

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
6/4/2003	0.092	ND	ND	0.3	1.1	BDL	ND	BDL
6/10/2004	0.095	ND	ND	0.32	1.1	BDL	ND	BDL
6/7/2005	0.074	ND	ND	0.35	1.0	NA	ND	BDL
5/31/2006	0.072	ND	ND	0.35	0.94	NA	ND	BDL
6/7/2007	0.060	ND	ND	0.27	0.93	NA	ND	BDL
6/18/2008	0.072	ND	ND	0.45	1.0	NA	ND	BDL
6/11/2009	0.068	ND	ND	0.35	0.94	NA	ND	BDL

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8050601	07 N	41 E	03

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
6/3/2003	BDL	ND	ND	2.5	1.4	BDL	ND	1
6/7/2004	BDL	ND	ND	3.4	1.6	BDL	ND	1.3
6/6/2005	0.14	ND	ND	4.4	1.8	NA	ND	1.3
5/30/2006	0.096	ND	ND	3.1	1.6	NA	ND	1.3
6/13/2007	0.28	ND	BDL	6.0	2.4	NA	ND	1.6
6/24/2008	BDL	ND	ND	2.3	1.3	NA	ND	1.3
6/8/2009	0.095	ND	ND	2.8	1.5	NA	ND	1.4

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8050701	08 N	43 E	13

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
6/3/2003	3.8	ND	ND	7.2	9.6	BDL	ND	1.3
6/8/2004	3.8	ND	ND	7.3	9.3	BDL	ND	1.4
6/6/2005	3.2	ND	ND	7.2	8.4	NA	ND	1.3
6/6/2006	5.9	ND	BDL	8.4	19	NA	ND	1.2
6/6/2007	4.3	ND	ND	7.7	12	NA	ND	1.2
6/19/2008	5.1	ND	ND	7.9	15	NA	ND	1.2
6/9/2009	4.7	ND	ND	7.4	14	NA	ND	1.3

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8050801	09 N	42 E	35

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
6/2/2003	5.4	ND	ND	6.9	11	BDL	ND	0.89
6/8/2004	3.4	ND	BDL	7.1	11	BDL	ND	0.99
6/6/2005	5.0	ND	ND	7.2	12	NA	ND	0.91
5/31/2006	6.2	ND	BDL	8.3	19	NA	ND	0.95
6/12/2007	5.3	BDL	0.12	7.2	15	NA	ND	0.83
6/16/2008	5.9	ND	ND	7.7	17	NA	ND	0.91
6/8/2009	5.6	ND	ND	7.0	16	NA	ND	0.94

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8050901	09	42	35						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/10/2003	4.3	ND	ND	8	10	BDL	ND	0.97	
6/8/2004	5.4	ND	ND	8.2	12	BDL	ND	1.1	
6/6/2005	4.3	ND	ND	8.7	12	NA	ND	0.97	
6/5/2006	5.7	ND	ND	9.7	19	NA	ND	0.98	
6/13/2007	4.5	ND	ND	8.9	15	NA	ND	0.98	
6/16/2008	5.0	ND	ND	9.1	17	NA	ND	0.95	
6/8/2009	5.0	ND	ND	8.8	17	NA	ND	1.0	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8051001	09 N	43 E	19						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/4/2003	1.1	ND	ND	8.3	3.1	BDL	ND	2.2	
6/7/2004	2	ND	ND	11	4.4	BDL	ND	2.3	
6/6/2005	3.8	ND	ND	16	6.0	NA	ND	1.9	
5/30/2006	4.5	ND	BDL	17	7.3	NA	ND	2.1	
6/13/2007	2.3	ND	ND	10	4.7	NA	ND	2.2	
6/24/2008	3.9	ND	ND	15	6.3	NA	ND	2.1	
6/8/2009	4.5	ND	ND	17	9.0	NA	ND	1.9	

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8051101	09 N	43 E	25						
	<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
	6/2/2003	4.9	ND	ND	8.5	14	BDL	ND	1.1
	6/9/2004	5.5	ND	ND	8.7	17	BDL	ND	1.2
	6/6/2005	5.1	ND	ND	9.1	16	NA	ND	1.1
	6/7/2006	4.9	ND	ND	9.7	20	NA	ND	1.2
	6/6/2007	5.3	ND	ND	8.9	17	NA	ND	1.1
	6/16/2008	5.3	ND	ND	8.8	18	NA	ND	1.2
	6/9/2009	5.5	ND	ND	8.8	18	NA	ND	1.2

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8051201	08 N	42 E	03						
	<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
	6/3/2003	5.2	ND	ND	7.3	10	BDL	ND	1.1
	6/7/2004	5.6	ND	ND	7.5	11	BDL	ND	1.1
	6/6/2005	5.1	ND	ND	7.4	10	NA	ND	1.0
	5/31/2006	5.3	ND	BDL	7.5	11	NA	ND	1.1
	6/13/2007	5.1	ND	ND	7.4	10	NA	ND	1.1
	6/16/2008	5.7	ND	ND	7.3	12	NA	ND	0.86
	6/8/2009	5.9	ND	ND	7.2	12	NA	ND	0.85

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8051301	09 N	43 E	13						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/2/2003	5.5	ND	BDL	4.1	5.2	BDL	ND	0.18	
6/9/2004	5.8	ND	BDL	4.3	5.2	NA	ND	0.25	
6/7/2005	5.5	ND	ND	4.4	5.2	NA	ND	0.28	
6/6/2006	5.8	ND	BDL	4.5	5.9	NA	ND	0.22	
6/5/2007	5.1	ND	BDL	4.3	5.2	NA	ND	0.26	
6/17/2008	5.5	ND	ND	4.5	5.9	NA	ND	0.23	
6/10/2009	5.3	ND	ND	4.2	5.5	NA	ND	0.24	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8051401	09 N	43 E	02						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/2/2003	7.6	ND	ND	7.1	14	BDL	ND	0.28	
6/9/2004	8.3	ND	ND	7.5	15	BDL	ND	0.36	
6/7/2005	8.1	ND	ND	7.6	13	NA	ND	0.36	
6/7/2006	10	ND	BDL	6.8	15	NA	ND	0.24	
6/6/2007	9.1	ND	ND	7.2	16	NA	ND	0.28	
6/19/2008	8.9	ND	ND	7.9	16	NA	ND	0.28	
6/9/2009	8.4	ND	ND	7.4	16	NA	ND	0.30	

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8051501	09 N	43 E	34

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
6/10/2003	2.8	ND	BDL	6.4	4.2	BDL	ND	0.48
6/10/2004	3	ND	0.13	6.6	4.7	BDL	ND	0.5
6/6/2005	3.0	ND	0.10	6.6	4.6	NA	ND	0.48
6/6/2006	2.9	ND	BDL	6.7	4.6	NA	ND	0.49
6/6/2007	3.1	ND	0.12	6.6	4.8	NA	ND	0.50
6/19/2008	3.1	ND	BDL	6.6	4.8	NA	ND	0.49
6/10/2009	3.2	ND	BDL	6.3	4.8	NA	ND	0.47

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8051601	08 N	41 E	23

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
6/4/2003	0.58	ND	ND	8	3.5	BDL	ND	1.6
6/10/2004	0.6	ND	ND	8.3	3.6	BDL	ND	1.8
6/6/2005	0.49	ND	ND	8.5	3.2	NA	ND	1.7
6/5/2006	0.56	ND	ND	8.6	3.6	NA	ND	1.7
6/13/2007	0.52	ND	ND	8.8	3.5	NA	ND	1.7
6/24/2008	0.49	ND	ND	8.2	3.3	NA	ND	1.7
6/9/2009	0.68	ND	ND	8.1	3.4	NA	ND	1.7

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8051701	07 N	45 E	16						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/4/2003	1.6	ND	ND	2.7	5.5	BDL	ND	0.14	
6/10/2004	1.3	ND	ND	2.3	5.2	BDL	ND	0.17	
5/31/2006	6.0	ND	BDL	5.1	17	NA	ND	BDL	
6/14/2007	3.3	ND	BDL	3.4	9.8	NA	ND	0.16	
6/18/2008	6.2	ND	ND	5.5	18	NA	ND	0.15	
6/11/2009	5.4	ND	ND	4.8	14	NA	ND	0.16	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8051801	08 N	42 E	08						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/9/2003	3	ND	ND	8.7	7.6	BDL	ND	1.4	
6/8/2004	3.3	ND	ND	9.1	8.2	BDL	ND	1.6	
6/7/2005	3.1	ND	ND	9.8	8.5	NA	ND	1.6	
6/5/2006	4.4	ND	ND	10	15	NA	ND	1.6	
6/13/2007	3.0	ND	ND	9.1	9.2	NA	ND	1.6	
6/24/2008	3.7	ND	ND	10	12	NA	ND	1.5	
6/9/2009	3.9	ND	ND	9.5	12	NA	ND	1.5	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8051901	09 N	44 E	29						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/11/2003	8.7	ND	BDL	2.5	8.5	BDL	ND	0.25	
6/10/2004	ND	ND	0.13	2.4	9.4	BDL	ND	0.3	
6/7/2005	7.7	ND	ND	2.7	8.0	NA	ND	0.43	
6/6/2006	10	ND	0.10	2.7	9.6	NA	ND	0.26	
6/10/2009	10	ND	BDL	3.4	11	NA	ND	0.29	

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8052001	08 N	42 E	21						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/3/2003	1.2	ND	ND	8.7	4	BDL	ND	0.46	
6/7/2004	1.2	ND	BDL	9.3	3.9	BDL	ND	0.64	
6/6/2005	1.2	ND	ND	9.1	3.9	NA	ND	0.58	
6/5/2006	1.3	ND	ND	9.4	4.2	NA	ND	0.72	
6/13/2007	1.4	ND	ND	9.2	4.6	NA	ND	0.57	
6/16/2008	1.8	ND	ND	9.0	4.7	NA	ND	0.56	
6/8/2009	1.9	ND	ND	9.5	4.8	NA	ND	0.60	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8052101	07 N	45 E	32						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/10/2003	0.36	ND	ND	1.6	2.9	BDL	ND	BDL	
6/10/2004	0.48	ND	ND	1.7	3.4	BDL	ND	BDL	
6/7/2005	0.26	ND	ND	1.4	2.0	NA	ND	BDL	
5/31/2006	0.26	ND	BDL	1.4	2.2	NA	ND	BDL	
6/7/2007	3.7	ND	ND	30	21	NA	0.14	BDL	
6/18/2008	0.22	ND	ND	1.5	2.1	NA	ND	BDL	
6/11/2009	0.50	ND	ND	2.4	3.4	NA	ND	BDL	
6/11/2009	0.48	ND	ND	2.3	3.4	NA	ND	BDL	

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

ISDA Well ID Township Range Section
8052201

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
6/10/2003	3.8	ND	ND	8.6	9.7	BDL	ND	1
6/8/2004	4.4	ND	ND	8.8	10	BDL	ND	1.1
6/7/2006	4.9	ND	BDL	10	17	NA	ND	1.0
6/13/2007	4.2	ND	BDL	9.2	14	NA	ND	1.0
6/19/2008	4.6	ND	ND	9.6	15	NA	ND	1.1
6/8/2009	4.5	ND	ND	9.1	15	NA	ND	1.1

ISDA Well ID Township Range Section
8052301 09 N 43 E 27

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
6/11/2003	0.68	ND	0.13	2.1	3.5	BDL	ND	0.32
6/7/2005	0.20	ND	ND	3.0	2.9	NA	ND	1.2
6/6/2006	1.6	ND	0.17	7.9	4.7	NA	ND	0.26
6/5/2007	0.66	ND	BDL	3.3	3.7	NA	ND	0.98
6/17/2008	0.18	ND	ND	2.8	2.9	NA	ND	1.2
6/10/2009	2.3	ND	0.17	9.9	7.8	NA	ND	0.24

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8052401	09 N	43 E	22						
	<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
	6/10/2003	6.3	ND	ND	4.6	7.1	BDL	ND	0.51
	6/9/2004	7.3	ND	BDL	4.8	8	BDL	ND	0.56
	6/7/2005	6.6	ND	ND	4.7	7.8	NA	ND	0.56
	6/6/2006	7.7	ND	BDL	5.2	9.1	NA	ND	0.54
	6/6/2007	7.0	ND	BDL	4.7	8.6	NA	ND	0.44
	6/19/2008	7.1	ND	ND	4.9	8.8	NA	ND	0.48
	6/9/2009	7.0	ND	ND	4.5	8.6	NA	ND	0.48

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8052501	08 N	42 E	01						
	<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
	6/9/2003	3.1	ND	ND	9.4	7.8	BDL	ND	1.4
	6/8/2004	3.7	ND	BDL	9.6	7.9	BDL	ND	1.5
	6/6/2005	2.8	ND	BDL	9.3	6.9	NA	ND	1.4
	5/31/2006	4.6	ND	BDL	11	9.6	NA	ND	1.3
	6/12/2007	4.4	ND	BDL	9.0	14	NA	ND	1.3
	6/16/2008	6.0	ND	ND	13	11	NA	ND	1.2

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8052601	09 N	42 E	23

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
6/10/2003	1.5	ND	ND	100	24	BDL	ND	0.6
6/9/2004	1.9	ND	ND	80	13	BDL	BDL	1.3
6/6/2005	1.1	ND	ND	100	15	NA	BDL	0.64
6/7/2006	1.9	ND	ND	110	16	NA	ND	0.71
6/6/2007	1.9	ND	BDL	85	15	NA	ND	1.1
6/16/2008	1.7	ND	ND	130	17	NA	BDL	0.74
6/9/2009	1.5	ND	ND	150	15	NA	ND	0.72

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8052701	08 N	43 E	18

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
6/9/2003	4.1	ND	ND	4.4	8.1	BDL	ND	0.71
6/9/2004	4	ND	ND	5	8.6	BDL	ND	0.91
6/6/2005	3.7	ND	ND	4.7	8.2	NA	ND	0.74
6/1/2006	5.5	ND	BDL	5.6	12	NA	ND	0.82
6/12/2007	5.1	ND	ND	5.3	10	NA	ND	0.79
6/17/2008	4.6	ND	ND	5.2	10	NA	ND	0.80
6/9/2009	4.4	ND	ND	4.6	10	NA	ND	0.83

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8052801	09 N	44 E	29						
	<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
	6/11/2003	7.3	ND	BDL	5.6	14	BDL	ND	0.2
	6/9/2004	8	ND	BDL	3.6	14	BDL	ND	0.22
	6/7/2005	7.3	ND	ND	3.6	14	NA	ND	0.25
	6/6/2006	8.0	ND	BDL	3.8	16	NA	ND	0.19
	6/5/2007	7.8	ND	BDL	3.7	16	NA	ND	0.24
	6/17/2008	7.8	ND	ND	3.8	16	NA	ND	0.20

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8052901	09 N	42 E	12						
	<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
	6/10/2003	3.6	ND	ND	4.6	5.6	BDL	ND	1.1
	6/6/2005	3.4	ND	ND	4.6	5.6	NA	ND	1.0
	6/7/2006	4.4	ND	BDL	4.7	7.2	NA	ND	1.0
	6/6/2007	4.1	ND	0.11	5.6	6.6	NA	ND	1.1
	6/16/2008	3.8	ND	ND	6.6	7.0	NA	ND	0.97
	6/9/2009	3.5	ND	ND	6.8	6.2	NA	ND	1.0

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8053001	08 N	42 E	31						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/10/2003	3.7	ND	ND	19	12	BDL	BDL	1	
6/7/2004	3.9	ND	BDL	19	13	BDL	ND	1.2	
6/6/2005	3.8	ND	ND	19	13	NA	ND	1.1	
6/5/2006	4.1	ND	ND	19	13	NA	ND	1.1	
6/12/2007	4.5	ND	ND	19	13	NA	BDL	1.1	
6/24/2008	4.2	ND	ND	18	13	NA	BDL	1.1	
6/9/2009	4.5	ND	ND	18	14	NA	ND	1.1	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8053101	08 N	43 E	05						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/10/2003	1.3	ND	ND	5.7	4.1	BDL	ND	1.4	
6/8/2004	2	ND	ND	6	5	BDL	ND	1.6	
6/6/2005	1.5	ND	ND	5.9	4.4	NA	ND	1.4	
6/1/2006	3.3	ND	BDL	7.0	6.5	NA	ND	1.5	
6/6/2007	4.5	ND	ND	6.9	8.5	NA	ND	1.4	
6/19/2008	2.1	ND	ND	6.2	5.2	NA	ND	1.5	
6/9/2009	1.7	ND	ND	5.6	4.6	NA	ND	1.5	

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8053201	08 N	42 E	16						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/9/2003	4.7	ND	ND	9.9	7.1	BDL	ND	1.2	
6/8/2004	5.1	ND	ND	9.7	7.9	BDL	ND	1.2	
6/6/2005	4.2	ND	ND	9.2	7.2	NA	ND	1.1	
6/5/2006	4.9	ND	ND	10	11	NA	ND	1.3	
6/13/2007	4.9	ND	ND	9.9	9.2	NA	ND	1.2	
6/16/2008	4.6	ND	ND	9.7	9.1	NA	ND	1.2	
6/8/2009	4.6	ND	ND	9.4	8.8	NA	ND	1.3	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8053301	08 N	41 E	34						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/9/2003	0.18	ND	ND	3.6	1.8	BDL	ND	1.6	
6/7/2004	0.38	ND	ND	5.4	2.3	BDL	ND	2	
6/6/2005	0.43	ND	ND	5.5	2.4	NA	ND	2.0	
5/30/2006	0.58	ND	BDL	5.1	2.7	NA	ND	2.1	
6/13/2007	0.40	ND	ND	6.0	2.6	NA	ND	1.6	
6/24/2008	0.73	ND	ND	5.0	2.6	NA	ND	2.0	
6/8/2009	0.27	ND	ND	3.5	1.9	NA	ND	1.9	

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8053401	08 N	44 E	10

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
6/11/2003	0.65	ND	ND	2.8	2	BDL	ND	1.1
6/8/2004	0.82	ND	BDL	2.9	2.2	BDL	ND	1.2
6/7/2005	0.76	ND	ND	2.8	2.0	NA	ND	1.1
6/6/2006	0.97	ND	BDL	3.0	2.9	NA	ND	1.2
6/5/2007	1.0	ND	ND	2.9	2.3	NA	ND	1.2
6/17/2008	1.1	ND	ND	2.8	2.3	NA	ND	1.1
6/10/2009	1.3	nd	nd	2.6	2.4	NA	nd	1.1

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8053501			

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
6/11/2003	9.6	ND	ND	1.6	17	BDL	ND	0.22
6/8/2004	10	ND	ND	1.4	16	BDL	ND	0.23
6/7/2005	8.8	ND	ND	1.3	15	NA	ND	0.24
6/6/2006	11	ND	BDL	4.9	20	NA	ND	0.19
6/5/2007	10	ND	0.10	1.8	19	NA	ND	0.26
6/17/2008	10	ND	ND	3.9	21	NA	ND	0.20
6/10/2009	9.7	ND	ND	1.9	19	NA	ND	0.24

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8053601	06 N	46 E	25

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
6/10/2003	0.45	ND	ND	0.61	2	BDL	ND	BDL
6/7/2005	0.65	ND	ND	0.60	1.9	NA	ND	BDL
5/31/2006	0.86	ND	ND	0.67	2.1	NA	ND	BDL
6/7/2007	0.87	ND	ND	13	21	NA	ND	BDL
6/18/2008	0.51	ND	ND	0.70	2.1	NA	ND	BDL
6/11/2009	1.2	ND	ND	0.81	3.5	NA	ND	BDL

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8053801	07 N	42 E	28

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
6/10/2003	0.64	ND	ND	0.67	11	BDL	ND	3.3
6/7/2004	0.39	ND	ND	12	12	BDL	ND	4
6/7/2005	0.49	ND	ND	14	11	NA	ND	3.3
6/7/2007	0.34	ND	ND	11	12	NA	ND	4.0
6/18/2008	0.52	ND	ND	12	12	NA	ND	3.5
6/18/2008	0.52	ND	ND	12	12	NA	BDL	3.6
6/11/2009	0.57	ND	ND	12	12	NA	ND	3.6

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8053901	09	43	31

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
6/10/2003	5.2	ND	ND	6.1	9	BDL	ND	0.8
6/8/2004	5.2	ND	ND	6.4	10	BDL	ND	0.89
6/6/2005	4.4	ND	ND	6.1	9.0	NA	ND	0.79
6/6/2006	5.7	ND	BDL	7.5	17	NA	ND	0.83
6/12/2007	5.4	ND	ND	6.9	14	NA	ND	0.77
6/19/2008	5.5	ND	ND	6.9	14	NA	ND	0.85
6/9/2009	5.4	ND	ND	6.6	14	NA	ND	0.87

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>
8054001	07 N	41 E	12

<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
6/11/2003	1.2	ND	ND	7.7	4	BDL	ND	1.4
6/7/2004	1.3	ND	ND	7.1	3.7	BDL	ND	1.6
6/6/2005	0.93	ND	ND	7.8	3.5	NA	ND	1.4
5/30/2006	1.1	ND	ND	6.9	3.9	NA	ND	1.4
6/14/2007	1.2	ND	BDL	6.6	3.6	NA	ND	1.4
6/24/2008	1.5	ND	ND	6.3	3.6	NA	ND	1.4
6/8/2009	1.8	ND	ND	6.4	3.7	NA	ND	1.4

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8054501	08 N	43 E	10						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/24/2003	2.8	ND	BDL	2.7	6.5	0.26	ND	0.51	
6/9/2004	3	ND	BDL	2.8	6.6	BDL	ND	0.58	
6/8/2005	3.2	ND	BDL	2.9	6.7	NA	ND	0.56	
6/1/2006	3.2	ND	BDL	2.9	7.1	NA	ND	0.54	
6/14/2007	2.9	ND	0.11	2.5	6.9	NA	ND	0.53	
6/17/2008	3.0	ND	ND	2.8	6.8	NA	ND	0.51	
6/10/2009	2.9	ND	BDL	2.7	6.8	NA	ND	0.50	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8054601	08 N	44 E	22						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/24/2003	23	ND	ND	6.5	26	BDL	BDL	0.47	
6/9/2004	24	ND	BDL	7	26	BDL	ND	0.51	
6/7/2005	30	ND	ND	11	32	NA	ND	0.45	
6/7/2006	48	ND	ND	13	45	NA	ND	0.37	
6/5/2007	44	ND	ND	12	47	NA	ND	0.37	
6/17/2008	39	ND	ND	13	44	NA	ND	0.38	
6/10/2009	47	ND	ND	14	60	NA	ND	0.38	

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8054701	07 N	42 E	19						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/25/2003	3.5	ND	ND	25	18	BDL	BDL	1.9	
6/7/2004	3.7	ND	ND	28	20	BDL	BDL	2.3	
6/7/2005	3.5	ND	ND	32	18	NA	BDL	1.7	
6/7/2007	5.0	ND	ND	31	24	NA	BDL	2.1	
6/19/2008	4.5	ND	ND	31	23	NA	BDL	2.0	
6/9/2009	5.2	ND	ND	31	25	NA	BDL	2.0	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8054801	07 N	44 E	29						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/25/2003	19	ND	ND	6.8	40	BDL	ND	0.43	
6/10/2004	16	ND	ND	20	42	BDL	BDL	0.44	
6/7/2005	18	ND	ND	7.3	38	NA	ND	0.44	
5/30/2006	16	ND	0.78	14	43	NA	ND	0.50	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8054901	07 N	43 E	23						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/25/2003	5.7	ND	ND	72	44	BDL	0.29	0.37	
6/10/2004	6.2	ND	ND	73	49	BDL	0.3	0.36	
6/7/2005	5.4	ND	ND	75	48	NA	0.28	0.37	
5/30/2006	6.0	ND	BDL	72	49	NA	0.27	0.37	
6/7/2007	6.8	ND	ND	75	54	NA	0.31	0.37	
6/18/2008	6.6	ND	ND	71	54	NA	0.28	0.35	
6/11/2009	6.7	ND	ND	68	51	NA	0.27	0.32	

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8055001	06 N	44 E	17						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/25/2003	0.97	ND	ND	14	7.6	BDL	BDL	0.72	
6/10/2004	0.94	ND	ND	10	4.7	BDL	ND	0.94	
6/7/2005	0.94	ND	ND	9.6	4.4	NA	ND	0.84	
5/30/2006	1.5	ND	BDL	19	8.0	NA	ND	0.40	
6/7/2007	1.2	ND	ND	19	9.0	NA	BDL	0.65	
6/18/2008	1.3	ND	ND	21	9.3	NA	BDL	0.57	
6/11/2009	1.2	ND	ND	19	7.8	NA	BDL	0.61	

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8055101	07 N	44 E	22						
<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>	
6/25/2003	3.2	ND	ND	9.8	11	BDL	ND	0.29	
6/10/2004	2.7	ND	ND	7.3	10	BDL	ND	0.25	
6/7/2005	1.6	ND	ND	5.3	6.4	NA	ND	0.25	
5/31/2006	1.8	ND	ND	5.4	7.3	NA	ND	0.24	
6/7/2007	4.3	ND	ND	10	15	NA	ND	0.26	
6/18/2008	2.1	ND	ND	5.6	8.1	NA	ND	0.24	
6/11/2009	2.8	ND	ND	6.1	11	NA	ND	0.26	

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8055201	08 N	43 E	27						
	<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
	6/25/2003	6.4	ND	ND	5.3	5.7	BDL	ND	0.5
	6/9/2004	7	ND	BDL	5.5	6.3	BDL	ND	0.56
	6/8/2005	6.5	ND	BDL	6.2	6.7	NA	ND	0.54
	6/1/2006	6.5	ND	BDL	6.1	7.2	NA	ND	0.54
	6/5/2007	6.8	ND	BDL	5.0	6.5	NA	ND	0.50
	6/17/2008	6.8	ND	ND	5.0	6.8	NA	ND	0.50
	6/10/2009	6.7	ND	ND	4.5	6.7	NA	ND	0.49

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8056001									
	<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
	6/8/2005	2.3	ND	BDL	1.3	3.7	NA	ND	0.36

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8056101									
	<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
	6/8/2005	11	ND	ND	19	16	NA	ND	0.26

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8056201	09 N	43 E	23						
	<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
	6/8/2005	8.2	ND	ND	3.8	14	NA	ND	0.27

<i>ISDA Well ID</i>	<i>Township</i>	<i>Range</i>	<i>Section</i>						
8056301									
	<i>SampleDate</i>	<i>Nitrate mg/L*</i>	<i>Nitrite mg/L</i>	<i>OrthoP mg/L</i>	<i>Chloride mg/L</i>	<i>Sulfate mg/L</i>	<i>Ammonia mg/L</i>	<i>Bromide mg/L</i>	<i>Fluoride mg/L</i>
	6/8/2005	8.2	ND	ND	4.1	12	NA	ND	BDL

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.