
IDAHO STATE DEPARTMENT OF AGRICULTURE

GROUND WATER MONITORING PROGRAM

A SUMMARY OF REGIONAL PROJECT 710, INCLUDING WASHINGTON
AND PAYETTE COUNTIES

ISDA Well ID: 7100101 Township: 09 N, Range: 05 W, Section: 23

Sample Date: 5/19/1999

ATRAZINE: 0.11 µg/L

DACTHAL (DCPA): 1.2 µg/L

ISDA Well ID: 7100201 Township: 10 N, Range: 05 W, Section: 20

Sample Date: 3/19/1997

356 TRICHLORO 2 PYRIDINOL: 0.0056 µg/L

ATRAZINE: 0.001 µg/L

ISDA Well ID: 7100301 Township: 10 N, Range: 05 W, Section: 05

Sample Date: 3/12/1996

ATRAZINE DESETHYL: 0.004 µg/L

Sample Date: 8/6/1996

ATRAZINE: 0.003 µg/L

PROMETON: 0.006 µg/L

ISDA Well ID: 7100401 Township: 09 N, Range: 05 W, Section: 13

Sample Date: 3/25/1997

2, 4-D: 0.011 µg/L

2,4-DCBA: 0.0023 µg/L

METHIDATHION: 0.043 µg/L

ISDA Well ID: 7100501**Township: 11 N, Range: 06 W, Section: 25**

Sample Date: 3/13/1996

ATRAZINE DESETHYL: 0.029 µg/L

ATRAZINE: 0.019 µg/L

SIMAZINE: 0.005 µg/L

Sample Date: 8/5/1996

ATRAZINE DESETHYL: 0.015 µg/L

ATRAZINE: 0.024 µg/L

SIMAZINE: 0.004 µg/L

Sample Date: 3/18/1997

ATRAZINE DESETHYL: 0.024 µg/L

ATRAZINE: 0.019 µg/L

SIMAZINE: 0.005 µg/L

Sample Date: 5/5/1999

ATRAZINE: 0.032 µg/L

SIMAZINE: 0.023 µg/L

Sample Date: 5/7/2002

ATRAZINE DESETHYL: 0.12 µg/L

ATRAZINE: 0.03 µg/L

Sample Date: 4/28/2004

ATRAZINE: 0.04 µg/L

DESETHYL ATRAZINE: 0.12 µg/L

Sample Date: 4/23/2007

ATRAZINE: 0.051 µg/L

DESETHYL ATRAZINE: 0.12 µg/L

Sample Date: 3/13/1996

ATRAZINE DESETHYL: 0.047 µg/L

ATRAZINE: 0.085 µg/L

BROMACIL: 0.38 µg/L

PROMETON: 0.042 µg/L

Sample Date: 7/29/1996

ATRAZINE DESETHYL: 0.024 µg/L

ATRAZINE: 0.072 µg/L

PROMETON: 0.14 µg/L

Sample Date: 3/17/1997

2,4-DCBA: 0.0015 µg/L

ATRAZINE DESETHYL: 0.037 µg/L

ATRAZINE: 0.054 µg/L

BROMACIL: 0.11 µg/L

DIURON: 0.034 µg/L

PROMETON: 0.068 µg/L

Sample Date: 5/11/1999

ATRAZINE: 0.066 µg/L

Sample Date: 4/30/2002

ATRAZINE DESETHYL: 0.12 µg/L

ATRAZINE: 0.054 µg/L

BROMACIL: 0.73 µg/L

Sample Date: 4/27/2004

BROMACIL: 0.067 µg/L

DESETHYL ATRAZINE: 0.047 µg/L

Sample Date: 4/23/2007

ATRAZINE: 0.04 µg/L

DESETHYL ATRAZINE: 0.083 µg/L

ISDA Well ID: 7100701 Township: 11 N, Range: 06 W, Section: 26

Sample Date: 3/13/1996

ATRAZINE DESETHYL: 0.021 µg/L

Sample Date: 8/5/1996

ATRAZINE DESETHYL: 0.009 µg/L

ATRAZINE: 0.03 µg/L

Sample Date: 3/24/1997

ATRAZINE DESETHYL: 0.024 µg/L

ATRAZINE: 0.029 µg/L

Sample Date: 5/11/1999

ATRAZINE: 0.068 µg/L

Sample Date: 5/7/2002

ATRAZINE DESETHYL: 0.054 µg/L

DCPA: 0.45 µg/L

Sample Date: 4/27/2004

DESETHYL ATRAZINE: 0.029 µg/L

Sample Date: 4/23/2007

DESETHYL ATRAZINE: 0.04 µg/L

ISDA Well ID: 7100801 Township: 10 N, Range: 05 W, Section: 23

Sample Date: 3/19/1997

2,4-DCBA: 0.0014 µg/L

356 TRICHLORO 2 PYRIDINOL: 0.0053 µg/L

ATRAZINE: 0.003 µg/L

HEXAZINONE: 0.004 µg/L

Sample Date: 5/8/2007

HEXAZINONE: 0.15 µg/L

Sample Date: 3/14/1996

ATRAZINE DESETHYL: 0.078 µg/L

ATRAZINE: 0.11 µg/L

METRIBUZIN: 0.009 µg/L

Sample Date: 7/29/1996

ATRAZINE DESETHYL: 0.083 µg/L

ATRAZINE: 0.12 µg/L

Sample Date: 4/9/1997

356 TRICHLORO 2 PYRIDINOL: 0.014 µg/L

ATRAZINE DESETHYL: 0.087 µg/L

ATRAZINE: 0.11 µg/L

BROMACIL: 0.008 µg/L

METRIBUZIN: 0.005 µg/L

Sample Date: 5/17/1999

ATRAZINE: 0.11 µg/L

DACTHAL (DCPA): 0.5 µg/L

Sample Date: 4/29/2002

ATRAZINE DESETHYL: 0.072 µg/L

ATRAZINE: 0.058 µg/L

DACTHAL (DCPA): 0.16 µg/L

Sample Date: 4/27/2004

ATRAZINE: 0.048 µg/L

BROMACIL: 0.065 µg/L

DESETHYL ATRAZINE: 0.15 µg/L

Sample Date: 4/24/2007

ATRAZINE: 0.038 µg/L

DESETHYL ATRAZINE: 0.064 µg/L

ISDA Well ID: 7101001**Township: 10 N, Range: 05 W, Section: 10**

Sample Date: 3/12/1996

ATRAZINE DESETHYL: 0.033 µg/L

ATRAZINE: 0.03 µg/L

SIMAZINE: 0.003 µg/L

Sample Date: 8/6/1996

ATRAZINE DESETHYL: 0.072 µg/L

ATRAZINE: 0.11 µg/L

Sample Date: 3/19/1997

ATRAZINE DESETHYL: 0.042 µg/L

ATRAZINE: 0.029 µg/L

SIMAZINE: 0.002 µg/L

Sample Date: 5/6/1999

DACTHAL (DCPA): 1.1 µg/L

Sample Date: 5/7/2002

ATRAZINE DESETHYL: 0.13 µg/L

DACTHAL (DCPA): 3.1 µg/L

Sample Date: 5/1/2007

DESETHYL ATRAZINE: 0.08 µg/L

ISDA Well ID: 7101101**Township: 10 N, Range: 05 W, Section: 08**

Sample Date: 3/12/1996

ATRAZINE DESETHYL: 0.057 µg/L

ATRAZINE: 0.04 µg/L

Sample Date: 8/8/1996

ATRAZINE DESETHYL: 0.087 µg/L

ATRAZINE: 0.083 µg/L

BROMACIL: 0.12 µg/L

HEXAZINONE: 0.005 µg/L

Sample Date: 4/1/1997

2,4-DCBA: 0.0088 µg/L

356 TRICHLORO 2 PYRIDINOL: 0.0092 µg/L

ATRAZINE DESETHYL: 0.089 µg/L

ATRAZINE: 0.057 µg/L

BROMACIL: 0.086 µg/L

HEXAZINONE: 0.005 µg/L

PROMETON: 0.006 µg/L

SIMAZINE: 0.002 µg/L

Sample Date: 5/8/2002

ATRAZINE DESETHYL: 0.19 µg/L

ATRAZINE: 0.051 µg/L

DACTHAL (DCPA): 1.7 µg/L

Sample Date: 5/1/2007

ATRAZINE: 0.051 µg/L

DACTHAL (DCPA): 0.46 µg/L

DESETHYL ATRAZINE: 0.11 µg/L

HEXAZINONE: 0.065 µg/L

ISDA Well ID: 7101201 Township: 10 N, Range: 05 W, Section: 09

Sample Date: 3/12/1996

ATRAZINE DESETHYL: 0.57 µg/L

ATRAZINE: 0.048 µg/L

Sample Date: 8/6/1996

ATRAZINE DESETHYL: 0.44 µg/L

ATRAZINE: 0.05 µg/L

Sample Date: 3/21/1997

356 TRICHLORO 2 PYRIDINOL: 0.0098 µg/L

ATRAZINE DESETHYL: 0.41 µg/L

ATRAZINE: 0.043 µg/L

Sample Date: 5/6/1999

ATRAZINE: 0.12 µg/L

Sample Date: 5/8/2002

ATRAZINE DESETHYL: 0.42 µg/L

ATRAZINE: 0.046 µg/L

Sample Date: 5/1/2007

ATRAZINE: 0.036 µg/L

DESETHYL ATRAZINE: 0.13 µg/L

ISDA Well ID: 7101301 Township: 10 N, Range: 04 W, Section: 04

Sample Date: 3/24/1997

2,4-DCBA: 0.0019 µg/L

ISDA Well ID: 7101401 Township: 10 N, Range: 05 W, Section: 01

Sample Date: 3/25/1997

2,4-DCBA: 0.0016 µg/L

ISDA Well ID: 7101501 Township: 11 N, Range: 05 W, Section: 33

Sample Date: 3/21/1997

2, 4-D: 0.006 µg/L

HEXAZINONE: 0.002 µg/L

ISDA Well ID: 7101601 Township: 09 N, Range: 05 W, Section: 01

Sample Date: 3/19/1997

2,4-DCBA: 0.0015 µg/L

ISDA Well ID: 7101701 Township: 11 N, Range: 06 W, Section: 22

Sample Date: 8/19/1996

ATRAZINE DESETHYL: 0.018 µg/L

ATRAZINE: 0.14 µg/L

Sample Date: 3/18/1997

2,4-DCBA: 0.0019 µg/L

ATRAZINE DESETHYL: 0.004 µg/L

ATRAZINE: 0.063 µg/L

Sample Date: 4/30/2002

ATRAZINE: 0.043 µg/L

Sample Date: 4/27/2004

BROMACIL: 0.052 µg/L

ISDA Well ID: 7101801 Township: 09 N, Range: 05 W, Section: 23

Sample Date: 3/24/1997

2,4-DCBA: 0.0014 µg/L

ISDA Well ID: 7102001 Township: 10 N, Range: 05 W, Section: 15

Sample Date: 5/7/2002

ATRAZINE DESETHYL: 0.03 µg/L

ISDA Well ID: 7102101 Township: 11 N, Range: 06 W, Section: 20

Sample Date: 3/26/1996

ATRAZINE DESETHYL: 0.019 µg/L

ATRAZINE: 0.008 µg/L

Sample Date: 7/30/1996

ATRAZINE DESETHYL: 0.006 µg/L

ATRAZINE: 0.007 µg/L

Sample Date: 3/18/1997

2,4-DCBA: 0.0007 µg/L

ATRAZINE DESETHYL: 0.011 µg/L

ATRAZINE: 0.004 µg/L

Sample Date: 4/30/2009

ALDICARB SULFONE: 11.43 µg/L

ISDA Well ID: 7102201 Township: 09 N, Range: 05 W, Section: 11

Sample Date: 3/27/1996

ATRAZINE DESETHYL: 0.029 µg/L

ATRAZINE: 0.092 µg/L

SIMAZINE: 0.043 µg/L

Sample Date: 5/17/1999

ATRAZINE: 0.12 µg/L

ISDA Well ID: 7102301 Township: 11 N, Range: 06 W, Section: 34

Sample Date: 3/26/1996

ATRAZINE DESETHYL: 0.059 µg/L

ATRAZINE: 0.054 µg/L

Sample Date: 8/1/1996

ATRAZINE DESETHYL: 0.034 µg/L

ATRAZINE: 0.041 µg/L

Sample Date: 3/17/1997

2,4-DCBA: 0.0017 µg/L

356 TRICHLORO 2 PYRIDINOL: 0.0017 µg/L

ATRAZINE DESETHYL: 0.051 µg/L

ATRAZINE: 0.061 µg/L

Sample Date: 5/11/1999

ATRAZINE: 0.072 µg/L

DACTHAL (DCPA): 14 µg/L

Sample Date: 5/1/2002

ATRAZINE DESETHYL: 0.057 µg/L

ATRAZINE: 0.027 µg/L

Sample Date: 4/27/2004

DESETHYL ATRAZINE: 0.031 µg/L

Sample Date: 4/23/2007

DESETHYL ATRAZINE: 0.035 µg/L

ISDA Well ID: 7102401 Township: 11 N, Range: 06 W, Section: 13

Sample Date: 4/30/2002

DACTHAL (DCPA): 0.38 µg/L

Sample Date: 3/26/1996

ATRAZINE DESETHYL: 0.014 µg/L

ATRAZINE: 0.007 µg/L

Sample Date: 8/7/1996

ATRAZINE DESETHYL: 0.019 µg/L

ATRAZINE: 0.0097 µg/L

Sample Date: 3/21/1997

ATRAZINE DESETHYL: 0.02 µg/L

ATRAZINE: 0.011 µg/L

Sample Date: 4/29/2002

DACTHAL (DCPA): 0.5 µg/L

DESETHYL ATRAZINE: 0.035 µg/L

DICLOFOP METHYL: 0.61 µg/L

Sample Date: 5/5/2003

DESETHYL ATRAZINE: 0.029 µg/L

Sample Date: 4/27/2004

DCPA: 1.7 µg/L

Sample Date: 4/24/2007

DACTHAL (DCPA): 1.1 µg/L

DESETHYL ATRAZINE: 0.026 µg/L

ISDA Well ID: 7102701 Township: 11 N, Range: 06 W, Section: 28

Sample Date: 3/26/1996

ATRAZINE DESETHYL: 0.014 µg/L

ATRAZINE: 0.015 µg/L

Sample Date: 7/31/1996

ATRAZINE DESETHYL: 0.011 µg/L

PROMETON: 0.01 µg/L

Sample Date: 3/17/1997

356 TRICHLORO 2 PYRIDINOL: 0.002 µg/L

ATRAZINE DESETHYL: 0.016 µg/L

ATRAZINE: 0.018 µg/L

Sample Date: 5/11/1999

ATRAZINE: 0.038 µg/L

DACTHAL (DCPA): 0.97 µg/L

Sample Date: 5/1/2002

ATRAZINE DESETHYL: 0.037 µg/L

ISDA Well ID: 7102801 Township: 10 N, Range: 05 W, Section: 15

Sample Date: 8/7/1996

2, 4-D: 0.01 µg/L

ATRAZINE DESETHYL: 0.008 µg/L

Sample Date: 3/19/1997

356 TRICHLORO 2 PYRIDINOL: 0.017 µg/L

4- NITROPHENOL: 0.011 µg/L

ATRAZINE DESETHYL: 0.012 µg/L

ATRAZINE: 0.003 µg/L

PROMETON: 0.003 µg/L

ISDA Well ID: 7102901 Township: 10 N, Range: 05 W, Section: 10

Sample Date: 8/1/1996

ATRAZINE DESETHYL: 0.034 µg/L

ATRAZINE: 0.011 µg/L

SIMAZINE: 0.006 µg/L

Sample Date: 3/19/1997

ATRAZINE DESETHYL: 0.003 µg/L

Sample Date: 5/10/2004

DCPA: 0.085 µg/L

Sample Date: 3/27/1996

ATRAZINE DESETHYL: 0.05 µg/L

ATRAZINE: 0.045 µg/L

BROMACIL: 1.7 µg/L

METOLACHLOR: 0.03 µg/L

Sample Date: 8/7/1996

ATRAZINE DESETHYL: 0.027 µg/L

ATRAZINE: 0.032 µg/L

PROMETON: 0.004 µg/L

Sample Date: 3/19/1997

356 TRICHLORO 2 PYRIDINOL: 0.007 µg/L

ALACHLOR: 0.014 µg/L

ATRAZINE DESETHYL: 0.039 µg/L

ATRAZINE: 0.037 µg/L

BROMACIL: 1.1 µg/L

DIURON: 0.061 µg/L

METOLACHLOR: 0.12 µg/L

PROMETON: 0.004 µg/L

PROPAZINE: 0.001 µg/L

Sample Date: 5/13/2002

ATRAZINE DESETHYL: 0.026 µg/L

BROMACIL: 2.4 µg/L

METOLACHLOR: 0.26 µg/L

ISDA Well ID: 7103301**Township: 11 N, Range: 05 W, Section: 30**

Sample Date: 4/3/1996

ATRAZINE DESETHYL: 0.043 µg/L

ATRAZINE: 0.011 µg/L

SIMAZINE: 0.009 µg/L

Sample Date: 3/17/1997

2,4-DCBA: 0.0034 µg/L

ATRAZINE DESETHYL: 0.04 µg/L

ATRAZINE: 0.013 µg/L

SIMAZINE: 0.009 µg/L

Sample Date: 5/1/2002

ATRAZINE DESETHYL: 0.1 µg/L

ATRAZINE: 0.029 µg/L

SIMAZINE: 0.02 µg/L

Sample Date: 4/28/2004

DESETHYL ATRAZINE: 0.079 µg/L

Sample Date: 4/30/2007

DESETHYL ATRAZINE: 0.076 µg/L

ISDA Well ID: 7103401 Township: 11 N, Range: 05 W, Section: 29

Sample Date: 4/3/1996

ATRAZINE DESETHYL: 0.095 µg/L

Sample Date: 8/1/1996

ATRAZINE DESETHYL: 0.13 µg/L

ATRAZINE: 0.11 µg/L

Sample Date: 3/24/1997

2,4-DCBA: 0.0014 µg/L

ATRAZINE DESETHYL: 0.05 µg/L

ATRAZINE: 0.02 µg/L

Sample Date: 5/10/1999

ATRAZINE: 0.047 µg/L

Sample Date: 5/1/2002

ATRAZINE DESETHYL: 0.091 µg/L

Sample Date: 4/29/2004

DESETHYL ATRAZINE: 0.042 µg/L

Sample Date: 4/30/2007

DESETHYL ATRAZINE: 0.041 µg/L

ISDA Well ID: 7103501 Township: 11 N, Range: 05 W, Section: 29

Sample Date: 3/21/1997

ATRAZINE: 0.004 µg/L

BROMACIL: 0.008 µg/L

Sample Date: 5/5/1999

DACTHAL (DCPA): 20 µg/L

Sample Date: 4/29/2004

2,4,6-TRICHLPHENOL: 0.083 µg/L

ISDA Well ID: 7103601 Township: 11 N, Range: 05 W, Section: 33

Sample Date: 4/3/1996

ATRAZINE DESETHYL: 0.054 µg/L

ATRAZINE: 0.17 µg/L

Sample Date: 8/1/1996

ATRAZINE DESETHYL: 0.072 µg/L

ATRAZINE: 0.29 µg/L

ISDA Well ID: 7103701 Township: 10 N, Range: 05 W, Section: 16

Sample Date: 4/4/1996

ATRAZINE DESETHYL: 0.14 µg/L

ATRAZINE: 0.34 µg/L

Sample Date: 3/21/1997

ATRAZINE DESETHYL: 0.1 µg/L

ATRAZINE: 0.2 µg/L

Sample Date: 5/8/2002

ATRAZINE DESETHYL: 0.18 µg/L

ATRAZINE: 0.088 µg/L

HEXAZINONE: 0.15 µg/L

Sample Date: 5/5/2004

ATRAZINE: 0.059 µg/L

DCPA: 0.082 µg/L

HEXAZINONE: 0.091 µg/L

Sample Date: 4/25/2007

ATRAZINE: 0.032 µg/L

DESETHYL ATRAZINE: 0.059 µg/L

ISDA Well ID: 7103801**Township: 11 N, Range: 06 W, Section: 23**

Sample Date: 4/4/1996

ATRAZINE DESETHYL: 0.051 µg/L

ATRAZINE: 0.063 µg/L

Sample Date: 7/30/1996

ATRAZINE DESETHYL: 0.032 µg/L

ATRAZINE: 0.066 µg/L

Sample Date: 3/17/1997

2,4-DCBA: 0.0013 µg/L

ATRAZINE DESETHYL: 0.06 µg/L

ATRAZINE: 0.058 µg/L

SIMAZINE: 0.002 µg/L

Sample Date: 4/29/2002

ATRAZINE DESETHYL: 0.09 µg/L

ATRAZINE: 0.061 µg/L

DICLOFOP METHYL: 2.5 µg/L

Sample Date: 5/5/2003

ATRAZINE: 0.036 µg/L

DESETHYL ATRAZINE: 0.091 µg/L

Sample Date: 4/27/2004

ATRAZINE: 0.038 µg/L

DESETHYL ATRAZINE: 0.093 µg/L

Sample Date: 4/24/2007

ATRAZINE: 0.027 µg/L

DESETHYL ATRAZINE: 0.065 µg/L

ISDA Well ID: 7103901**Township: 11 N, Range: 06 W, Section: 13**

Sample Date: 4/4/1996

ATRAZINE DESETHYL: 0.17 µg/L

ATRAZINE: 0.21 µg/L

Sample Date: 8/1/1996

ATRAZINE DESETHYL: 0.08 µg/L

ATRAZINE: 0.19 µg/L

PROPAZINE: 0.007 µg/L

Sample Date: 3/17/1997

356 TRICHLORO 2 PYRIDINOL: 0.02 µg/L

ATRAZINE DESETHYL: 0.22 µg/L

ATRAZINE: 0.16 µg/L

BROMACIL: 0.004 µg/L

PROPAZINE: 0.009 µg/L

Sample Date: 4/30/2002

ATRAZINE: 0.057 µg/L

DESETHYL ATRAZINE: 0.18 µg/L

Sample Date: 4/28/2004

ATRAZINE: 0.026 µg/L

DESETHYL ATRAZINE: 0.12 µg/L

Sample Date: 4/24/2007

DESETHYL ATRAZINE: 0.13 µg/L

ISDA Well ID: 7104001**Township: 11 N, Range: 06 W, Section: 25**

Sample Date: 4/4/1996

ATRAZINE DESETHYL: 0.063 µg/L

ATRAZINE: 0.1 µg/L

Sample Date: 7/29/1996

ATRAZINE DESETHYL: 0.062 µg/L

Sample Date: 3/18/1997

356 TRICHLORO 2 PYRIDINOL: 0.0064 µg/L

ATRAZINE DESETHYL: 0.055 µg/L

ATRAZINE: 0.087 µg/L

Sample Date: 4/30/2002

ATRAZINE DESETHYL: 0.14 µg/L

ATRAZINE: 0.092 µg/L

Sample Date: 4/28/2004

ATRAZINE: 0.095 µg/L

DESETHYL ATRAZINE: 0.18 µg/L

Sample Date: 4/24/2007

ATRAZINE: 0.1 µg/L

DESETHYL ATRAZINE: 0.19 µg/L

ISDA Well ID: 7104101**Township: 11 N, Range: 05 W, Section: 30**

Sample Date: 3/28/1996

ATRAZINE DESETHYL: 0.09 µg/L

ATRAZINE: 0.19 µg/L

Sample Date: 7/30/1996

ATRAZINE DESETHYL: 0.062 µg/L

ATRAZINE: 0.1 µg/L

Sample Date: 3/18/1997

2, 4-D: 0.002 µg/L

356 TRICHLORO 2 PYRIDINOL: 0.032 µg/L

ATRAZINE DESETHYL: 0.069 µg/L

ATRAZINE: 0.083 µg/L

Sample Date: 5/5/1999

ATRAZINE: 1.3 µg/L

DACTHAL (DCPA): 20 µg/L

Sample Date: 5/8/2000

ATRAZINE: 0.15 µg/L

DACTHAL (DCPA): 42 µg/L

Sample Date: 4/26/2001

DACTHAL (DCPA): 27 µg/L

Sample Date: 5/6/2002

ATRAZINE DESETHYL: 0.13 µg/L

ATRAZINE: 0.081 µg/L

DACTHAL (DCPA): 12 µg/L

Sample Date: 4/28/2004

ATRAZINE: 0.049 µg/L

DCPA: 0.67 µg/L

DESETHYL ATRAZINE: 0.12 µg/L

Sample Date: 4/30/2007

ATRAZINE: 0.05 µg/L

DESETHYL ATRAZINE: 0.11 µg/L

Sample Date: 4/30/2009

ATRAZINE: 0.027 µg/L

DESETHYL ATRAZINE: 0.03 µg/L

ISDA Well ID: 7104201 Township: 11 N, Range: 06 W, Section: 16

Sample Date: 3/28/1996

ATRAZINE DESETHYL: 0.012 µg/L

ATRAZINE: 0.03 µg/L

SIMAZINE: 0.009 µg/L

Sample Date: 7/29/1996

ATRAZINE DESETHYL: 0.013 µg/L

ATRAZINE: 0.024 µg/L

SIMAZINE: 0.007 µg/L

Sample Date: 3/18/1997

2, 4-D: 0.0025 µg/L

ATRAZINE DESETHYL: 0.007 µg/L

ATRAZINE: 0.019 µg/L

SIMAZINE: 0.008 µg/L

Sample Date: 4/29/2002

SIMAZINE: 0.021 µg/L

ISDA Well ID: 7104301 Township: 10 N, Range: 05 W, Section: 36

Sample Date: 3/24/1997

2,4-DCBA: 0.0013 µg/L

Sample Date: 5/8/2002

PROMETON: 0.051 µg/L

ISDA Well ID: 7104401 Township: 10 N, Range: 05 W, Section: 21

Sample Date: 8/6/1996

ATRAZINE: 0.003 µg/L

PROMETON: 0.009 µg/L

Sample Date: 3/24/1997

2,4-DCBA: 0.0044 µg/L

Sample Date: 5/19/1999

DACTHAL (DCPA): 0.51 µg/L

Sample Date: 5/8/2002

METRIBUZIN: 0.032 µg/L

Sample Date: 5/4/2004

DCPA: 0.13 µg/L

METRIBUZIN: 0.045 µg/L

ISDA Well ID: 7104601 Township: 11 N, Range: 04 W, Section: 27

Sample Date: 8/8/1996

2, 4-D: 0.026 µg/L

ATRAZINE DESETHYL: 0.058 µg/L

Sample Date: 5/7/2007

DACTHAL (DCPA): 2.7 µg/L

ISDA Well ID: 7104701 Township: 11 N, Range: 05 W, Section: 19

Sample Date: 4/3/1996

ATRAZINE DESETHYL: 0.026 µg/L

ATRAZINE: 0.016 µg/L

Sample Date: 7/30/1996

ATRAZINE DESETHYL: 0.031 µg/L

ATRAZINE: 0.016 µg/L

Sample Date: 3/17/1997

2,4-DCBA: 0.001 µg/L

ATRAZINE DESETHYL: 0.042 µg/L

ATRAZINE: 0.024 µg/L

Sample Date: 4/30/2002

DESETHYL ATRAZINE: 0.028 µg/L

Sample Date: 4/30/2007

DESETHYL ATRAZINE: 0.086 µg/L

ISDA Well ID: 7104801 Township: 11 N, Range: 06 W, Section: 24

Sample Date: 4/3/1996

ATRAZINE DESETHYL: 0.19 µg/L

ATRAZINE: 0.57 µg/L

BROMACIL: 0.086 µg/L

DACTHAL (DCPA): 0.021 µg/L

Sample Date: 8/14/1996

ATRAZINE DESETHYL: 0.12 µg/L

ATRAZINE: 0.48 µg/L

Sample Date: 3/24/1997

356 TRICHLORO 2 PYRIDINOL: 0.075 µg/L

ATRAZINE DESETHYL: 0.14 µg/L

ATRAZINE: 0.34 µg/L

BROMACIL: 0.019 µg/L

DIURON: 0.063 µg/L

SIMAZINE: 0.004 µg/L

Sample Date: 5/3/1999

ATRAZINE: 0.23 µg/L

Sample Date: 4/29/2002

ATRAZINE DESETHYL: 0.11 µg/L

ATRAZINE: 0.1 µg/L

Sample Date: 4/28/2004

ATRAZINE: 0.066 µg/L

DESETHYL ATRAZINE: 0.11 µg/L

Sample Date: 4/24/2007

ATRAZINE: 0.095 µg/L

DEISOPROPYL ATRAZINE: 0.037 µg/L

DESETHYL ATRAZINE: 0.15 µg/L

Sample Date: 5/5/2009

ATRAZINE: 0.027 µg/L

DEISOPROPYL ATRAZINE: 0.025 µg/L

ISDA Well ID: 7104901 Township: 11 N, Range: 05 W, Section: 34

Sample Date: 3/24/1997

2,4-DCBA: 0.0015 µg/L

ISDA Well ID: 7105001 Township: 11 N, Range: 05 W, Section: 30

Sample Date: 5/11/1999

DACTHAL (DCPA): 4.5 µg/L

Sample Date: 5/1/2002

DACTHAL (DCPA): 0.16 µg/L

ISDA Well ID: 7105101 Township: 11 N, Range: 06 W, Section: 27

Sample Date: 4/4/1996

ATRAZINE DESETHYL: 0.006 µg/L

Sample Date: 8/8/1996

ATRAZINE: 0.004 µg/L

Sample Date: 3/18/1997

ATRAZINE DESETHYL: 0.003 µg/L

ATRAZINE: 0.003 µg/L

Sample Date: 4/29/2002

DACTHAL (DCPA): 2.7 µg/L

Sample Date: 4/27/2004

TEBUTHIURON: 0.071 µg/L

Sample Date: 4/24/2007

TEBUTHIURON: 0.075 µg/L

Sample Date: 4/30/2009

ALDICARB SULFONE: 5.639 µg/L

ISDA Well ID: 7105601 Township: , Range: , Section:

Sample Date: 5/4/2004

2, 4-D: 0.8 µg/L

ATRAZINE: 0.027 µg/L

DICAMBA: 0.11 µg/L

ISDA Well ID: 7107001 Township: 11 , Range: 05 , Section: 30

Sample Date: 5/6/2002

ATRAZINE DESETHYL: 0.18 µg/L

ATRAZINE: 0.079 µg/L

BROMACIL: 0.1 µg/L

DACTHAL (DCPA): 8.5 µg/L

ISDA Well ID: 7107101 Township: 11 N, Range: 05 W, Section: 30

Sample Date: 4/26/2001

DACTHAL (DCPA): 19 µg/L

Sample Date: 5/6/2002

ATRAZINE DESETHYL: 0.037 µg/L

BROMACIL: 0.25 µg/L

ISDA Well ID: 7107201 Township: 11 , Range: 06 , Section: 25

Sample Date: 4/26/2001

DACTHAL (DCPA): 23 µg/L

Sample Date: 5/1/2002

ATRAZINE DESETHYL: 0.12 µg/L

ATRAZINE: 0.061 µg/L

DACTHAL (DCPA): 6.7 µg/L

SIMAZINE: 0.035 µg/L

IDAHO STATE DEPARTMENT OF AGRICULTURE

GROUND WATER MONITORING PROGRAM

Pesticide Index

<u>Pesticide</u>	<u>EPA Reference (measured in Parts per billion)</u>
2, 4-D	70 MCL
ALACHLOR	2 MCL
ATRAZINE	3 MCL
ATRAZINE DESETHYL	
BROMACIL	90 HAL
DACTHAL (DCPA)	70 HAL
DCPA	70 HAL
DICAMBA	200 HAL
DIURON	10 HAL
HEXAZINONE	400 HAL
METOLACHLOR	100 HAL
METRIBUZIN	200 HAL
PROMETON	100 HAL
PROPAZINE	10 HAL
SIMAZINE	4 MCL
TEBUTHIURON	500 HAL

MCL: EPA-established standard, Maximum Containment Level
 Rfd: EPA-established standard, Reference Dose for a 10-kg Child
 HAL: EPA-established standard, Health Advisory Limit

* For questions or comments regarding this data or other water quality issues, please contact Rick Carlson

Results reported higher than the noted detection limit signifies a positive detection. All constituents listed without detection limits are reported as actual detections. For results reported below the detection limit, these indicate non-detectable levels.