

RESTRICTED USE PESTICIDE

DUE TO HAZARDS TO NONTARGET SPECIES.

For retail sale to, and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

**FIFRA Section 24c Special Local Need Label
FOR DISTRIBUTION AND USE ONLY WITHIN
IDAHO**

This product may only be used to control voles along irrigation canal levees by ground application only.

ZINC PHOSPHIDE ON WHEAT

Expiration date: This label for Zinc Phosphide on Wheat expires and must not be distributed or used in accordance with this SLN registration after December 31, 2018.

EPA Reg. No. 56228-3

SLN ID-130003

ACTIVE INGREDIENT

Zinc Phosphide 1.82%

OTHER INGREDIENTS 98.18%

TOTAL 100.00%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

THIS LABEL AND THE FEDERAL LABEL MUST BE IN POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION. READ THE ENTIRE LABEL AND THE ENTIRE FEDERAL LABEL (ZINC PHOSPHIDE ON WHEAT, EPA REGISTRATION NUMBER 56228-3). FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS FOUND ON BOTH LABELS.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and the label for Zinc Phosphide on Wheat (EPA Registration Number 56228-3). This product must be used strictly in accordance with the precautionary statements and applicable use directions on both labels, as well as with all applicable State and Federal laws and regulations.

Before using this product, contact the U.S. Fish and Wildlife Service and the applicable State wildlife agency and obtain all necessary kill or collecting permits.

PREBAITING DIRECTIONS:

Prebaiting is recommended. Two or 3 days prior to scheduled use of toxic bait, prebait along irrigation canal levees with untreated wheat at a rate per acre similar to the intended application rate of the toxic bait. If prebaiting, apply toxic bait where prebait has been consumed using a rate identical to the prebait rate.

APPLICATION DIRECTIONS:

Ground applications:

-Apply toxic bait only in areas of current vole activity at a rate of 2.5 to 6 pounds per acre. Do not exceed 4 applications per year. Do not exceed 10 pounds (0.18 lb active ingredient) of toxic bait per treated acre per year.

-Treatments may be applied by hand baiting, or drop-tubes fixed to ground-based (such as pickup truck, ATV, tractor) bait-dispensing equipment.

-Apply bait only along irrigation canal levees. Do not treat the canal side of the levee.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container, in a dry place inaccessible to children, pets, and domestic animals.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal law. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container.

Outer Packaging: Outer Packaging for this product is secondary packaging containing non water-soluble plastic bags. Thoroughly rinse any soluble powder residue from outer packaging jar into application equipment; then offer for recycling if available or dispose of in a sanitary landfill.

Non water-soluble plastic bags: Completely empty plastic bags into application equipment, ensuring that all product is removed from the bag, and then offer for recycling if available or properly dispose of in a sanitary landfill.

Revised 05/29/2013

EPA SLN NUMBER ID-130003

24(c) Registrant:

U.S. Department of Agriculture
Animal and Plant Health Inspection Service
4700 River Road, Unit 149
Riverdale, MD 20737

Local Contact:

Idaho Wildlife Services State Director
USDA APHIS
9134 West Blackeagle Drive
Boise, ID 83709

Batch Code No.: _____