

ISDA – Approved Injection Line Check Valves

May 28, 2015

Inject-O-Meter



Max 94 (3/4" only)



Stainless Check (3/4" new style)



Stainless Check (1")



Stainless Check (3/4")


Agri-Inject, Inc.



Mister Mist'r (colors vary)



Mister Mist'r Stainless



Mister Mist'r CVPC (acids only)



Mini Mist'r (1/4" & 1/2" thread)



Mister Mist'r Ultra

Raguse & Co., Inc.



Sure-Mix II

Jaeco Fluid Systems, Inc.



316 Stainless Ball Check 10 PSI ($\frac{1}{4}$ ", $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{3}{4}$ ", 1")

316 Stainless Ball Check valve shown.
The 316 Stainless 10 PSI O-Ring valve is identical in appearance except it is threaded to the hex nut part of the valve. The O-Ring valve comes in the same size orifices as the Ball Check valve and these sizes are approved for chemigation in Idaho.

Neptune Chemical Pump Co., Inc.



SSQ75 ($\frac{3}{4}$ ") & SSQ100 (1")



PPQ50 (resembles Mister Mist'r)

Ozawa R&D, Inc.



PN2349



PN2351




PN2352

CDS-John Blue Company



Model 115026-HS



Model CV-1310