FIFRA

# Section 24(c) Special Local Need Label

## FOR DISTRIBUTION AND USE ONLY IN THE STATE OF IDAHO
**For Control of Mites on Hops**

| GROUP | 21A | ACARICIDE |
|---|---|---|

# Nexter® SC Miticide/Insecticide

**EPA Reg. No 81880-28-10163 / EPA SLN NO. ID-150011b**

**This label expires and must not be distributed or used in accordance with this SLN registration after December 31, 2020.**

| | % By Wt. |
|---|---|
| **ACTIVE INGREDIENT: Pyridaben** | |
| [2-*tert*-butyl-5-(4-*tert*-butylbenzylthio)-4-chloropyridazin-3(2*H*)-one] | 42.47% |
| **OTHER INGREDIENTS:** | 57.53% |
| **Total** | 100.00% |

Contains 3.75 pounds active ingredient per gallon.

## KEEP OUT OF REACH OF CHILDREN
# CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high-water mark. Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Do not apply when weather conditions favor drift from target area. Drift or runoff from treated areas may be hazardous to fish in adjacent sites. This product is highly toxic to bees. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively foraging the treatment area. Application early in the morning or at dusk is suggested.

**DIRECTIONS FOR USE**

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This label and federal label for this product must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

**POLLINATOR PROTECTION:** This product is highly toxic to bees. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging the treatment area. Apply Nexter SC Miticide/Insecticide between late evening and early morning only.

| CROP | RATE OZ/ACRE | PEST | COMMENTS |
|---|---|---|---|
| Hops | 17 | Twospotted Spider Mite | Apply Nexter SC using conventional dilute or concentrate ground sprayers calibrated to deliver enough water to ensure thorough coverage of foliage. Nexter SC must be applied to each row for maximum coverage. |
| | **RESTRICTIONS / PRECAUTIONS:**<br>• Do not apply within 21 days of harvest (PHI).<br>• Do not make more than 1 application per season.<br>• Do not apply by air.<br>• For use under this SLN label do not apply this product through any type of irrigation system.<br>• Do not rotate with a miticide with the same MOA (Group 21 Insecticide)<br>• **Drift:** Do not apply Nexter SC Miticide/Insecticide when weather conditions favor drift to surface water. Do not apply within 110 feet upwind of surface water or when windspeed is above 8 mph. Do not apply during a temperature inversion. | | |

Nexter® is a registered trademark of Nissan Chemical Industries, Ltd.

24(c) Registrant: Gowan Company
P.O. Box 5569
Yuma, AZ 85366-5569

*Updated 2-28-17*