



Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO

REGLONE® Desiccant

EPA REG. NO. 100-1061

EPA SLN NO. ID-100006

**Preharvest Desiccation of Foliage for Crops Grown for Seed:
Collard, Dill, Endive, Garden Beet, Kohlrabi, Leek, Lettuce, Mustard, Onion, Parsnip, Radish, Turnip,
Sugar Beet, Swiss Chard**

**This label expires and must not be distributed or used in accordance with this SLN
registration after December 31, 2019**

IMPORTANT- READ BEFORE USE

**THESE CONDITIONS RISKS OF USE AND DISCLAIMER ARE REQUIRED BY SYNGENTA
CROP PROTECTION LLC AND NOT SPECIFIED BY U.S. EPA OR THE OF STATE OF
IDAHO**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SYNGENTA CROP
PROTECTION, LLC INTENDS THAT THE PRODUCT THAT IS THE SUBJECT OF THIS
SECTION 24(c) LABEL BE PURCHASED ONLY BY END USERS WHO AGREE BY
ELECTRONIC SIGNATURE ON SYNGENTA CROP PROTECTION'S INTERNET SITE TO
THE TERMS AND CONDITIONS REQUIRED BY SYNGENTA CROP PROTECTION, LLC
INCLUDING A WAIVER AND RELEASE FROM ALL LIABILITY AND INDEMNIFICATION BY
THE USER AND/OR GROWER OF SYNGENTA AND OTHERS FOR FAILURE TO PERFORM
AND FOR CROP INJURY, CROP YIELD REDUCTION, AND/OR CROP LOSS FROM USE OF
REFLEX HERBICIDE ON CROPS ON THIS 24(c) LABEL. IF SUCH TERMS AND
CONDITIONS ARE UNACCEPTABLE, RETURN THE DUAL MAGNUM AT ONCE
UNOPENED OR USE THE DUAL MAGNUM FOR A DIFFERENT APPROVED USE IN
ACCORDANCE WITH THE LABEL AFFIXED TO THE PRODUCT CONTAINER.**

**USE OF DUAL MAGNUM (THE "PRODUCT") ON CROPS LISTED (THE "CROP") FOR THIS
SPECIAL LOCAL NEED MAY RESULT IN CROP INJURY, CROP YIELD REDUCTION
AND/OR CROP LOSS AS FURTHER DISCUSSED BELOW. READ AND UNDERSTAND
THESE CONDITIONS AND RISKS OF USE FOR SPECIAL LOCAL NEED BEFORE USING
THE PRODUCT ON THE CROP. SYNGENTA RECOMMENDS THAT THE USER TEST THIS
PRODUCT TO DETERMINE ITS SUITABILITY FOR SUCH INTENDED USE.**

Syngenta Crop Protection, LLC makes the Product available for use in the manner described in this Supplemental Labeling on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of Crop injury, Crop yield reduction or Crop loss.

The decision to use this Product in the manner described in this Supplemental Labeling must be made by each individual user on the basis of anticipated benefits versus (i) the potential risk of Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls and (iv) any other relevant factors. Syngenta recommends that the user test this Product to determine its suitability for such intended use.

By purchasing the Product for use, or using the Product in the manner described in this Supplemental Labeling, you acknowledge and accept that, to the extent consistent with applicable law:

- 1) You assume all risk of Crop injury, Crop yield reduction and Crop loss;
- 2) Syngenta Crop Protection, LLC do not make, and do not authorize any agent or representative to make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this Supplemental labeling;
- 3) Syngenta Crop Protection, LLC do not make, and do not authorize any agent or representative to make, any warranties, express or implied, with respect to the use of the Product on the Crop and disclaim all warranties, expressed or implied, including any implied warranty of merchantability;
- 4) Syngenta Crop Protection, LLC disclaim all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to Crop injury, Crop yield reduction and/or Crop loss;
- 5) these conditions and Risks of Use for Special Local Need supersede any contrary representations or recommendations by Syngenta Crop Protection, LLC or their respective agents or representatives, and any provisions in or on any Product literature or labeling including any provisions on the label affixed to the Product container.

If these Conditions and Risks of Use for Special Local Need are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the label affixed to the Product container.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR PEST CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Follow all applicable directions, restrictions, and precautions including statements pertaining to the Worker Protection Standards, on the EPA-registered label. This label must be in the possession of the user at the time of application.

Use Pattern

Apply only to crops grown for seed production for preharvest desiccation. Do not use on Daikon variety of radishes.

Application Rate

Apply 1.5 to 2 pts. per acre in 15 to 30 gals. water by ground or 5 gals. water by air. Make only one application per crop. Do not apply more than 2 pts (0.5 lb ai) per year.

Timing of Application

Apply 3 to 10 days before harvest prior to swathing when the majority of seed is harvest-ripe.

Restriction: No portion of seed collard, dill, endive, garden beet, kohlrabi, leek, lettuce, mustard, onion, parsnip, radish, turnip, sugar beet, or swiss chard including but not limited to seed screenings, green chop, hay, chaff, combine tailings, pellets, meal, whole seed and cracked seed, may be grazed, used, or distributed for food or feed purposes.

Reglone® trademark of a Syngenta Group Company

24(c) registrant:
Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, NC 27419-8300

Label Code: ID1061121AA0514