

RESTRICTED USE PESTICIDE
DUE TO ACUTE TOXICITY
FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS.



FIFRA 24(c) SLN
For distribution and use only within the
state of IDAHO

FIFRA 24(c) Special Local Need Label (SLN)

Parazone 3SL Herbicide
DESICCATION OF CLOVER GROWN FOR SEED TO FACILITATE HARVEST

EPA REG. NO. 5481-615

EPA SLN NO. ID-190007



KEEP OUT OF REACH OF CHILDREN

DANGER/PELIGRO
POISON

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash waters or rinsate.

Parazone 3SL is a contact herbicide that desiccates all green plant tissue. Paraquat dichloride, the active ingredient in this product, is toxic to non-target crops and plants if off-target movement occurs because it desiccates all green plant tissue. Extreme care must be taken to ensure that off-target drift is minimized to the greatest extent possible. Refer to the local and state laws, regulations, guidelines, and spray drift information contained in the "Directions for Use" section for proper application to avoid off-target movement. Do not apply under conditions involving possible drift to food, forage, or other plantings that might be damaged or the crops thereof rendered unfit for sale, use, or consumption. Do not apply when weather conditions favor drift from treated areas. To avoid drift, do not make aerial applications during periods of thermal inversion.

This label expires and must not be distributed or used in accordance with this SLN registration after 12/31/2023.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of pesticide application.
- Read the "Limitation of Warranty and Liability" in the label booklet for PARAZONE 3SL before using.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.
- The complete DIRECTIONS FOR USE can be found on the currently registered EPA Stamped Label.

CROP	DOSAGE (RATE PER ACRE)	COMMENTS
CLOVER GROWN FOR SEED	1.7 - 4 pts	Spray Volume: <u>Ground application:</u> Use a minimum spray volume of 20-25 gallons per acre. Always add nonionic surfactant (NIS) containing 80% or more active ingredients at a minimum of 0.25% v/v (2 pt/100 gal of water).

		<p><u>Aerial application:</u> Use a minimum spray volume of 5-10 gallons per acre. Always add a nonionic surfactant (NIS) containing 80% or more active ingredients at a minimum of 0.25% v/v (2 pt/100 gal of water).</p> <p>Method of Application: Broadcast</p> <p>Chemigation: For use under this SLN label, do not apply this product through any type of irrigation system.</p> <p>See "RESTRICTIONS/PRECAUTIONS"</p>
--	--	---

RESTRICTIONS/PRECAUTIONS:

- Do not enter or allow worker entry during the restricted-entry interval (REI) of 24 hours.
- Refer to spray drift information contained in the "Directions for Use" section for proper application to avoid off-target movement. Do not apply when weather conditions favor drift from treated areas.
- The maximum annual application rate is 5.33 pts/A (85.3 fl oz/A) per year.
- Do not harvest until at least 4 days after application.
- Do not apply by ground equipment within 25 ft. or by air within 75 ft. of lakes; reservoirs; rivers; permanent streams, marshes or natural ponds; estuaries; and commercial fish ponds.
- All clover seed screenings must be disposed of in such a way that they cannot be distributed or used for human food or animal feed. The seed conditioner must keep records of screening disposal for 3 years from the date of disposal and shall furnish the records to the director immediately upon request. Conditioner disposal records must consist of documentation of on-farm disposal, disposal at a controlled dumpsite, incinerator, composter, or other equivalent disposal site and must include the lot numbers, amount of material disposed of, its grower(s), and the date of disposal.
- No portion of the clover seed plant, including but not limited to green chop, hay, pellets, meal, whole seed, cracked seed, roots, bulbs, leaves and seed screenings may be used or distributed for food or feed purposes.
- Clover seed must bear a tag or container label which forbids use of the seed for human consumption or animal feed.
- Clover seed may not be distributed for human consumption or animal feed.

Parazone is a registered trademark of AMVAC Chemical Corporation.

24(C) Registrant:

AMVAC Chemical Corporation
4695 MacArthur Court, Suite 1200,
Newport Beach, CA 92660