

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

Supplemental Labeling

Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Lorsban[®] Advanced

EPA Reg. No. 62719-591

EPA 24(c) Special Local Need Registration SLN ID-090002
For Distribution and Use Only in the State of Idaho

Control of Garden Symphylans Infesting Sugarbeets Grown for Seed

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Lorsban[®] Advanced insecticide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Lorsban Advanced according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Lorsban Advanced.

Directions for Use

Refer to product label for Lorsban Advanced for Use Precautions and Restrictions, Mixing and Application instructions.

Apply 2 quarts of Lorsban Advanced per acre in at least 10 gallons of water per acre as a prelant incorporated treatment in the fall to protect sugarbeets from garden symphylans during the following growing season. Apply using suitable power-operated ground application equipment. Consult your cooperative agricultural extension service for additional information concerning garden symphylan control practices in your area.

Specific Use Restrictions:

- **Worker Restricted Entry Interval:** Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours unless PPE required for early entry is worn.
- Apply only once in the fall for protection of sugarbeets grown the following year.
- Maximum single application rate is 1.88 lb ai chlorpyrifos per acre (maximum of 2.82 lb ai chlorpyrifos per year).
- **Chemigation:** Do not apply through any type of irrigation system for the use described in this supplemental labeling.
- Lorsban Advanced should not be tank mixed with other pesticides, surfactants, or fertilizer formulations unless prior use experience has shown that combination to be non-injurious under local conditions of use.
- Use of Lorsban Advanced according to this supplemental label is deemed a non-food use by the Idaho Department of Agriculture and, as such, is not for use on fields producing sugarbeets for livestock feed.
- Do not feed or graze sugarbeets following application of Lorsban Advanced.
- Do not cut treated sugarbeets for hay or forage.
- Do not use harvested seed for sprouting.

- No portion of the treated field, including seed, seed screenings, hay forage, or stubble may be used for human or animal feed.

This label expires and must not be used or distributed after December 31, 2024.

®Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

R368-133

Approved: / /

Replaces R368-096