

For distribution and use only in the state of Idaho

Pendimethalin	Group	3	Herbicide
---------------	-------	---	-----------

FIFRA Sec. 24(c) Special Local Need Label

Prowl[®] H2O

Herbicide

For weed control in clover grown for seed production

This label is valid until December 31, 2024, or until otherwise amended, withdrawn, canceled, or suspended.

EPA Reg. No. 241-418

EPA SLN No. ID-140003

Active Ingredient*:

pendimethalin: N-(1-ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzenamine..... 38.7%

Other Ingredients: 61.3%

Total: 100.0%

*1 gallon contains 3.8 pounds of pendimethalin formulated as an aqueous capsule suspension.

Directions For Use

Refer to the Prowl[®] H₂O herbicide main label, EPA Reg. No. 241-418, for complete Directions For Use and all applicable restrictions and precautions. When following the instructions on this supplemental label, the user must have this label and the entire Prowl H₂O container label in possession at the time of pesticide application.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Product Information

Prowl H₂O is a selective preemergence herbicide for controlling most annual grass weeds and certain broadleaf weeds as they germinate. Refer to the Prowl H₂O container label for a complete list of weeds controlled.

Prowl H₂O is most effective when mechanically incorporated, or when incorporated in the weed germination zone by rainfall or irrigation.

Application Instructions

Uniformly apply Prowl H₂O in 10 or more gallons of water per acre with ground equipment.

Use Methods, Timings, and Rates

Apply Prowl H₂O to established clover grown for seed production. Uniformly apply Prowl H₂O at a broadcast rate of 1.0 to 4.0 quarts per acre at optimum application timing for dodder control or other weed control before weed germination. For optimum dodder control, apply 3.0 to 4.0 quarts of Prowl H₂O per acre.

Apply Prowl H₂O before clover exceeds 6 inches in height.

Restrictions and Limitations

- **DO NOT** exceed 4.0 quarts of Prowl H₂O per acre in any one crop season.
- **DO NOT** apply this product through any type of irrigation system or by air.
- **DO NOT** apply to seedling clover.
- **DO NOT** feed or graze Prowl H₂O-treated clover.
- **DO NOT** cut Prowl H₂O-treated clover for hay or forage.
- **DO NOT** use harvested seed for sprouting.
- Refer to product container label for rotational crop restrictions.
- **Some stunting and chlorosis of the clover may occur with postemergence applications.**
- **Applications when clover exceeds 6 inches in height may result in poor weed control because of possible reduced spray coverage to the soil.**

BASF Corporation
26 Davis Drive, Research Triangle Park, NC 27709


We create chemistry

Special Crop Use Restrictions

Use of this product according to this labeling is deemed a nonfood and as such is not for use on fields producing clover for livestock feed. No portion of the treated field, including seed, seed screenings, hay forage, or stubble may be used for human or animal feed.

Producers of clover seed who use this product, or cause the product to be used on a field they operate, are required to inform, in writing, conditioners receiving seed produced on fields treated with **Prowl® H₂O herbicide**. A copy of the labeling must be given by the producer to the conditioner. Processed seed must be labeled "Not for human or animal consumption." at the processing plant. All clover seed screenings must be disposed of in such a way that they cannot be distributed or used for food or feed.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

Prowl is a registered trademark of BASF.

© 2019 BASF Corporation
All rights reserved.

000241-00418.20191210.**NVA 2019-04-195-0245**
Supersedes: NVA 2014-04-195-0157

24(c) registrant:
BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709



We create chemistry