# 02.04.29 - RULES GOVERNING TRICHOMONIASIS

000.		L AUTHORITY.  dopted under the legal authority of Section 25-203, Idaho Code.	(	)
001.	TITLE	AND SCOPE.		
	<del>01.</del>	Title. The title of this chapter is "Rules Governing Trichomoniasis."	(	<del>-)</del>
Tricho	021. omoniasis,	Scope. These rules govern procedures for the prevention, control and eradicate a venereal disease of cattle caused by the organism <i>Tritrichomonas foetus</i> .	ion (	of )
002	- 003.	(RESERVED)		
Diagn	A 02.04.29 osis in C	RPORATION BY REFERENCE.  9 incorporates by reference the official 202248 Edition of Idaho "Protocol for <i>Trichomona</i> . Cattle" which can be viewed online at <a href="https://agri.idaho.gov/main/laboratories/animal-tocol for trichomonas diagnosis in cattle/">https://agri.idaho.gov/main/laboratories/animal-tocol for trichomonas diagnosis in cattle/</a> .		
005	- 009.	(RESERVED)		
<b>010.</b> The fo		VITIONS.  efinitions apply to the interpretations and enforcement of this chapter:	(	)
	01.	Cattle. All Bovidae, except bison.	(	)
Tricho	<b>02.</b> omoniasis.	Exposed Cattle. Any cattle that have been in contact with cattle infected with or affe	cted b	) )
Anima activit	a <del>l and Pla</del>	Federal Animal Health Official. An employee of the United States Department of Agri ant Health Inspection Service, Veterinary Services who is authorized to perform animal		
		<b>Herd</b> . A herd is any group of cattle maintained on common ground for any purpose, or two cattle under common ownership or supervision, geographically separated, but which hovement of cattle without regard to whether they are infected with or exposed to Trichomonical Common cattle without regard to whether they are infected with or exposed to Trichomonical Common cattle without regard to whether they are infected with or exposed to Trichomonical Common cattle without regard to whether they are infected with or exposed to Trichomonical Common cattle without regard to whether they are infected with or exposed to Trichomonical Common cattle without regard to whether they are infected with or exposed to Trichomonical Common cattle without regard to whether they are infected with or exposed to Trichomonical Common cattle without regard to whether they are infected with or exposed to Trichomonical Common cattle without regard to whether they are infected with or exposed to Trichomonical Common cattle without regard to whether they are infected with or exposed to Trichomonical Common cattle Common	nave a	
<del>cattle '</del>		Hold Order. A hold order is a form of quarantine that may be used to restrict the mover Trichomoniasis status is being investigated.	nent (	ə <del>f</del> -)
with T	<b>06.</b> Trichomon	<b>Infected Cattle</b> . Any cattle determined by an official test or diagnostic procedure to be iasis or diagnosed by a veterinarian as infected.	nfecte	ed )
diagno	<b>07.</b> ostic proce	<b>Infected Herd</b> . Any herd in which any cattle have been determined by an official dure to be infected with Trichomoniasis or diagnosed by a veterinarian as being infected.	test (	or )

 Section 000
 Page 1
 LKnight\_12062021

08.	Negative. Cattle that have been tested with official test procedures and found to	be free	from
infection with	Trichomoniasis using an official test.	(	)
09.	PCR. Polymerase Chain Reaction.	(	)
10.	Positive. Cattle that have been tested with official test procedures and found to be	infected	with
	s using an official test.	111100100	************
<del>11</del>	Quarantine. A written order, or a verbal order followed by a written order, ex		
	to confine or hold cattle on a premises or any other location, and to prevent movement		
	any other location when the Administrator has determined that the cattle have been		
	exposed to or infected with Trichomoniasis or the owner is not in compliance with the	<del>provisio</del>	ns of
h <del>is chapter.</del>			<del></del>
12	Quarantined. Isolation of all cattle diseased or exposed thereto, from contact with	hoolthy .	204410
nd evaluaion	of such healthy cattle from enclosures or grounds where said diseased or exposed cattle		
een kept.	of such heating cattle from enclosures of grounds where said diseased of exposed cattle	( arc, or	have
сен кери		(	,
<del>13.</del>	Registered Veterinarians. Veterinarians registered with, and approved by the Divis	ion of Ar	<del>imal</del>
	ollect Trichomoniasis samples for official Trichomoniasis culture testing.		<del></del>
		`	
<del>14.</del>	Restrain. The confinement of cattle in a chute, or other device, for the purpos	<del>e of effic</del>	<del>cient,</del>
<del>ffective, and s</del>	afe testing approved by the Administrator.		<del></del>
15.	State Animal Health Official. The Administrator, or Administrator's designee, r	esponsible	<del>e for</del>
isease control	and eradication activities.		<del>)</del>
16.	T Brand. A two inch by three inch (2" x 3") single-character hot iron T brand, app	lied to th	a laft
	of a bull, signifying that the bull is infected with <b>*Trichomoniasis</b> .	11eu 10 til	1011
i the tan nead	of a built, signifying that the built's infected with the following signifying that the built is infected with the following signifying that the built is infected with the following signifying that the built is infected with the following signifying that the built is infected with the following significant significan	(	,
17.	<b>Trichomoniasis</b> . A venereal disease caused by the organism <i>Tritrichomonas foetus</i> .	(	)
	·	`	
11. – 099.	(RESERVED)		
	HOMONIASIS CONTROL AND ERADICATION PROGRAM.		
	niasis testing season begins on September 1 of each year and continues until Aug		
	ar. All bulls within the state of Idaho shall be tested negative for Trichomoniasis before		
	ontact with female cattle or by April 15 of each Trichomoniasis testing season, whichever	er occurs	first,
xcept:		(	)
01.	Bulls in Public Grazing Allotments. Bulls that are to be turned out on public graz	ing allotr	nents
	for Trichomoniasis by April 15 of each Trichomoniasis testing season or forty five (45)		
	public grazing allotment, which ever occurs first.	) days <u>or</u> (	)
	Promo S. menia., William of the cooking from	(	,
02.	Virgin Bulls. All bulls native to Idaho that are less than twenty-four (24) months of	f age and	have
	a cow are exempt from the Trichomoniasis testing requirements.	(	)
			,
a.	Such bulls shall be identified by a registered an accredited veterinarian with		
richomoniasis	s bangle tag of the correct color for the current testing season and the identification rec	orded on	a <u>an</u>

Section 000 Page 2 LKnight\_12062021

<u>electronic</u> Trichom	noniasis Test and Report Form.	
<b>b.</b> I attesting that they a	f sold, such bulls shall <u>be</u> accompanied by a certificate signed by the owner or his representative are virgin bulls.	e )
	<b>Dairy Bulls</b> . All dairy bulls in dry lot operations are exempt from the Trichomoniasis testing bulls that are pastured or grazed must meet the Trichomoniasis testing requirements. (	g )
	<b>Bulls Consigned to Slaughter or to an Approved Feedlot</b> . Bulls consigned directly to slaughter ughter establishment or to an approved feedlot for finish feeding for slaughter are exempt from ts.	
15 to accomplish	Extension of Testing Deadline. The Administrator may grant an extension of time beyond Apr Trichomoniasis testing after the owner submits a written request, outlining the reasons for the ested length of extension, for extension of time to the Division of Animal Industries.	
a. T	The written request shall outline the reasons for the extension request and the length of extende ed.	<del>d</del> )
<mark>b.a.</mark> 7 bulls have been tes	The herd of bulls shall be put under Hold Order until the owner furnishes documentation that the ted.	e )
The Division of Areach Trichomonias Trichomoniasis ba Trichomoniasis Te	MONIASIS TESTING IDENTIFICATION.  nimal Industries will determine the color of the official Trichomoniasis bangle tags to be used for its testing season. All bulls tested and tagged for Trichomoniasis shall be identified by an officiangle tag of the correct color for the current testing season and the identification recorded on st and Report Form approved by the Administrator. Beginning with the September 2021 testing colors will be rotated in the following order: White, Orange, Blue, Yellow, and Green.	al a
111 199. (	RESERVED)	
Bulls presented for Idaho shall be ac	r sale at specifically approved livestock markets, shows, special sales, or by private contract is companied by a certificate of negative test and a statement signed by the owner certifying as not been diagnosed in the herd of origin;" or	
<b>01.</b> F	Returned to Home Premises. Such bulls shall be returned to home premises for official testing (	g; )
	<b>Sold Directly to Slaughter</b> . Such bulls shall be sold directly to slaughter at an approved slaughter daho approved feedlot, as defined in IDAPA 02.04.20, "Rules Governing Brucellosis"; or (	er )
veterinarian or a pa The samples for ea	Placed Under a Hold Order. Such bulls will be placed under Hold Order by the livestock marker rivate veterinarian and have three (3) consecutive negative Trichomoniasis or PCR culture tests ach test shall be collected at least seven (7) days apart and tested for Trichomoniasis to be eligible attention of negative test; or	S.

Section 000 Page 3 LKnight\_12062021

<b>04. Virgin Bulls</b> . Virgin bulls native to Idaho that are less than twenty-four (24) months of age and have never serviced a cow shall be identified with an official Trichomoniasis bangle tag of the correct color for the current testing season.
<b>05. Period of Validity</b> . For resident breeding bulls sold in Idaho, the negative test is valid for up to ninety (90) days provided the bull(s) has had no contact with female cattle from the time of test to the time of sale.
<b>06.</b> Contact with Female Cattle. Bulls that have had contact with female cattle subsequent to testing must be retested prior to sale.
201 <u>299</u> 209. (RESERVED)
210. IMPORTED BULLS.
01. Non-Virgin Bulls. Non virgin breeding bulls may be imported into the state of Idaho provided they meet the following requirements:
a. If the bull originates from a herd of bulls wherein all bulls have tested negative for Trichomoniasis since being removed from cows, the bull shall have been tested negative to a Trichomoniasis culture test within sixty (60) days prior to import and have had no contact with female cattle from the time of test to the time of import; or
b. If the bull originates from a herd where one (1) or more bulls or cows have been found infected with Trichomoniasis, the bull shall have three (3) consecutive negative Trichomoniasis culture or PCR tests. The samples for each test shall be collected at least seven (7) days apart and tested for Trichomoniasis, the last test being within sixty (60) days prior to import into Idaho; or
e. If the bull is a single bull with no prior herd test history or originates from a herd of bulls that is still with cows or that has not been tested for Trichomoniasis since being removed from cows, the bull shall have three (3) consecutive negative Trichomoniasis culture or PCR tests. The samples for each test are to be collected at least seven (7) days apart and tested for Trichomoniasis, the last test being within sixty (60) days prior to import into Idaho.
d. Upon arrival at their destination in Idaho, all imported bulls shall be identified with an official Trichomoniasis bangle tag of the correct color for the current testing season, except imported dairy bulls that will be in a dry lot operation are not required to be identified with an official Trichomoniasis tag upon arrival at their destination.
02. Virgin Bulls. Bulls imported into Idaho that are less than eighteen (18) months of age and have never serviced a cow are not required to be Triehomoniasis tested prior to import into Idaho, provided that:
a. Such bulls are accompanied by a certificate signed by the owner or the owner's representative attesting that the animals are virgin bulls and have never serviced a cow; and
b. Upon arrival at their destination in Idaho, such bulls are identified by an Idaho accredited veterinarian with an official Trichomoniasis bangle tag of the correct color for the current testing season.
03. Bulls for Grazing. Bulls that are entering Idaho for grazing purposes shall meet the

Section 000 Page 4 LKnight\_12062021

test :	<del>shall accon</del>	apany the grazing permit application.	<del>( )</del>
<del>211.</del>	<del>- 299.</del>	<del>(RESERVED)</del>	
nega	bulls that a tive for Tr	AIC GRAZING.  re turned out on public grazing allotments shall be certified and identified as virgin bulls, or ichomoniasis at least forty five (45) days prior to the turnout date, or before April 15 of each ver occurs first.	
allot	<b>01.</b> ment will b	<b>Grazing Associations</b> . All bulls that are in a public grazing association or run in common perconsidered part of one (1) herd.	on an
		<b>Positive Tests</b> . If any bull owned by any of the producers in a grazing association or all an an Trichomoniasis official test, all other the rest of the producers in the association or allotm of an infected bull herd and handled in accordance with Section 310 of this rule.	
301.	309.	(RESERVED)	
	bull or co	CTED BULLS AND HERDS.  w that is positive to an official Trichomoniasis culture or PCR test is considered infected. A for more bulls or cows are found infected with Trichomoniasis is considered infected.	herd in
slau	tive for Tri ghter. The p	Confirmatory Testing of Culture Positive Bulls. Any culture positive bull must be conchomonas foetus by Polymerase Chain Reaction (PCR) test unless the animal is destined directive culture specimen must be submitted to a qualified laboratory, approved by the Adminitivith the qualified laboratories submission requirements.	ectly to
<del>Tric</del>		If polymerase chain reaction (PCR) determines the bull is positive or inconclusivetus, the bull will be considered positive for trichomoniasis.	ve for
	b. will be con	If polymerase chain reaction (PCR) determines the bull is negative for <i>Trichomonas foet</i> isidered negative for trichomoniasis.	tus, the
hour heal quar be h	rs that the th official rantine will	Quarantine of Infected Herds. Any veterinarian that discovers an infected here nee the herd under a Hold Order, and notify the Division of Animal Industries within forty-eig test was positive. Upon notification of an infected Trichomoniasis herd, a state or federal will conduct an epidemiological investigation of the infected herd and issue a quarantine. be issued and may include a provision requiring all breeding age female cattle in the infected ation from all bulls for a period of up to one hundred twenty (120) days as determined ( )	ght (48) animal The <u>A</u> herd to
place	0203. ed under a	<b>Exposed Herds</b> . Herds identified as exposed through an epidemiological investigation Hold Order.	will be
<del>epid</del>	a. <del>emiologist</del> .	Bulls in exposed herds will be tested as determined by the Administrator Triehom	<del>ioniasis</del> ( )
inclu	<b>b.</b> <del>ıding virgi</del>	All bulls tested in exposed herds and all purchased and home raised additions to the buln bulls, shall be individually identified pursuant to Section 110, with an official Trichom	ll herd,

Section 000 Page 5 LKnight\_12062021

)

)

bangle tag of the correct color for the current testing season and the tag number and status of the bull recorded on an official Trichomoniasis test and report form.

- **04. Testing of Infected Herds**. Bulls in infected herds shall be tested negative for Trichomoniasis three (3) consecutive times before the quarantine can be released. Each of the tests shall be at least seven (7) days apart with sSamples for each test must be collected at least seven (7) days apart and tested for Trichomoniasis to be eligible to receive a certificate of negative test.
- a. All bulls tested in the infected herd and all purchased and home raised additions to the bull herd, including virgin bulls, shall be individually identified and recorded pursuant to Section 110 with an official Trichomoniasis bangle tag of the correct color for the current testing season and the tag number and status of the bull recorded on an official Trichomoniasis test and report form.
- **b.** Bulls that have three (3) consecutive negative Trichomoniasis culture or PCR official tests conducted at least seven (7) days apart shall be considered negative to too Trichomoniasis and can be so certified.
- **05. Identifying Infected Bulls**. The Administrator may require Aall bulls testing positive for trichomoniasis shall, within seven (7) days of diagnosis, to be identified with a hot iron T brand applied to the left of the tail-head indicating that the bull is positive for trichomoniasis.

## 311. -- 319. (RESERVED)

## 320. MOVEMENT OF INFECTED CATTLE.

All infected cattle shall be consigned to slaughter at an approved slaughter establishment or consigned to an specifically approved livestock market for sale to an approved slaughter establishment and shall remain under quarantine until moved to slaughter. All infected cattle being moved from the premise of origin to an specifically approved livestock market for sale to slaughter, or directly to an approved slaughter establishment for slaughter, shall move on a VS 1-27 form issued by an accredited veterinarian or a state or federal animal health official. ( )

- **O1. Slaughter Within Thirty Days**. All infected cattle shall be moved to slaughter within thirty (30) days of the issuance of the quarantine. All infected cattle are to be kept separate and apart from cattle or domestic bison of the opposite sex. The infected cattle will remain under quarantine until moved to slaughter.
- **O2.** Exceptions. Upon request, The the Division of Animal Industries may grant an extension of time after the owner submits a written request for extension of time for movement to slaughter to the Division of Animal Industries.
- 03. Contents of Request for Extension of Time. The written request shall outline the reasons for the extension request and the length of extended time being requested. The total length of time an individual infected bull may remain under quarantine before being required to move to slaughter, including any and all requested extensions, shall not exceed ninety (90) days.

#### 321. TREATMENT OF INFECTED BULLS.


There are no treatments for Trichomoniasis approved for use in Idaho.

## **322. -- 329.** (RESERVED)

## 330. OFFICIAL LABORATORIES.

Only laboratories approved by the Division of Animal Industries as official laboratories may test official

Section 000 Page 6 LKnight\_12062021



Section 000 Page 7 LKnight\_12062021

	rchased by private treaty, and bulls purchased in other states and imported into Idaho for r mpt from Trichomoniasis testing under the following conditions:	odeo )
<b>01.</b> the Division of A	<b>Division Approval</b> . The owner of the rodeo bulls has completed and submitted an application and Industries, which the Division has approved; and	on to
<b>02.</b> for breeding purp	Not Mixed with Cows. The rodeo bulls are confined to a dry lot and not mixed with cows or coses; and	used
03. official ear tags of	Permanently Identified. All bulls in the rodeo string are permanently officially identified or unique numbers hot iron branded on the animal; and	with )
<b>04.</b> a permanent reco	<b>Records Maintained</b> . Official identification records The identification numbers are maintain ord file at the owner's premises and a copy of the record will be provided to the Division of Arequest; and	
rule. Official ba	Bulls Purchased. Bulls purchased for addition to the rodeo string shall meet all other harchased bulls shall be immediately officially identified as specified in Subsection 400.03 of ack tag and ear tag numbers on the bull at time of purchase shall be correlated to detect identification in the permanent record; and	ealth f this
<b>06.</b> record-file; and	Bulls Removed for Slaughter. Removal of bulls to slaughter is documented in the perma	anent
The samples for o	<b>Bulls Removed for Breeding Purposes</b> . Bulls that are removed from the rodeo string es shall undergo three (3) consecutive negative PCR official tests or cultures for Trichomon each test are to be collected at least seven (7) days apart and tested for Trichomoniasis to be elificate of negative test.	iasis.
401 409.	(RESERVED)	
	NG BULLS OF UNKNOWN TRICHOMONIASIS STATUS.  In Trichomoniasis status may be fed for slaughter in an Idaho approved feedlot where the bull female cattle.	<del>ls are</del> )
01. slaughter establis	Removal of Untested Bulls. Untested bulls shall be sold directly to slaughter at an approximent.	roved )
	<b>Removal of Bulls for Breeding Purposes</b> . Bulls that are removed for breeding purposes consecutive negative PCR official tests or cultures for Trichomoniasis. The samples for each dat least seven (7) days apart and tested for Trichomoniasis to be eligible to receive a certification	h test
411 499.	(RESERVED)	

Section 000 Page 8 LKnight 12062021

Bulls that have had a positive culture result for Trichomoniasis testing may be further evaluated to determine if the organism is *Tritrichomonas foctus* or another species of Trichomonad. Bulls having positive Trichomoniasis culture results on the initial test will not be considered positive for Trichomoniasis under the provisions of this rule if they

500. INFECTIONS WITH OTHER TYPES OF TRICHOMONADS.

meet the following	ng criteria:	(
<del>01.</del>	Trichomonad Organisms Identified. The culture media containing the organisms that h	
Trickensoned one	ne bull is forwarded to a laboratory, approved by the Administrator, that has the ability to ganisms through Polymerase Chain Reaction; and	identify —(——)
02.	Tritrichomonas foetus Not Present. None of the Trichomonad organisms in the s	ubmitted
	fied as Tritrichomonas foctus.	<del>( )</del>
<del>03.</del>	Inconclusive Test Results. The Administrator may approve retesting of bulls with inco	onclusive
Trichomoniasis t	est results. If the bulls are found to be Trichomoniasis negative on three (3) consecutive at least seven (7) days, the bulls may be considered Trichomoniasis negative and relea	<del>tests that</del> sed from
quarantine.		(
<u>500</u> <del>501</del> 999.	(RESERVED)	

Section 000 Page 9 LKnight\_12062021