#### RESTRICTED USE PESTICIDE

DUE TO EYE AND SKIN CORROSIVITY HAZARD

For retail sale to and use only by Certified Applicatiors or persons under their direct supervision and only for those uses covered by the Ceritfied Applicatior's certification.



# FIFRA 24(c) SLN

For distribution and use only within the state of Idaho

# FIFRA 24(c) Special Local Need Label (SLN)

For Use on Alfalfa Grown for Seed to Control Lygus and Thrips.

For Use on Carrots Grown for Seed to Control Lygus.



# NALED INSECTICIDE

EPA REG. No. 5481-479 EPA SLN No. ID-010017

#### **ACTIVE INGREDIENT:**

Naled (1	L,2-dibromo-2, 2-dichloroethyl dimethyl phosphate)	62.0%
<b>INERT INGREDIE</b>	ENTS:	
TOTAL:		100.0%

# KEEP OUT OF REACH OF CHILDREN DANGER - PELIGRO

#### DO NOT TAKE INTERNALLY. DO NOT GET IN EYES. DO NOT GET ON SKIN.

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

This label expires and must not be distributed or used in accordance with this SLN registration after 31 December 2029.

## **DIRECTIONS FOR USE**

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This state-specific Section 24(c) labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label for EPA Reg. No. 5481-479.

Use of this product according to this labeling is deemed a non-food, non-feed use by the Idaho Department of Agriculture, and as such is not to be used on fields producing alfalfa or carrots for livestock feed.

- No portion of the alfalfa or carrot seed plant, including but not limited to stubble, hay, forage, seed and seed screenings may be used or distributed for food or feed purposes.
- Do not use alfalfa or carrot seed treated with Dibrom 8 Emulsive for sprouting.
- Producers of alfalfa or carrot seed who use this product must inform in writing, conditioners receiving seed produced on fields treated with this product.
- At the conditioning plant, seed must be labeled or tagged "Not for human or animal consumption". The
  conditioner must dispose of all seed screenings in such a way that they cannot be distributed or used for
  food or feed.

# **ALFALFA (Grown for Seed Only)**

**Lygus**: Apply 1 to 1½ pints Dibrom 8 Emulsive per acre (0.9 to 1.4 lbs. a.i./A). Repeat applications may be made on 7-day intervals. DO NOT apply more than 5 applications per year.

**Thrips**: Apply ½ pint Dibrom 8 Emulsive per acre (0.45 lbs. a.i./A). Repeat applications may be made on 7-day intervals. DO NOT apply more than 5 applications per year.

Apply in 10 to 20 gallons per acre if applied by ground or in 3 to 5 gallons per acre if applied by air.

# **CARROT (Grown for Seed Only)**

**Lygus:** Apply 1 to 1½ pints Dibrom 8 Emulsive per acre (0.9 to 1.4 lbs. a.i./A). Repeat applications may be made on 7-day intervals. DO NOT apply more than 3 pints per acre per year.

Apply in 10 to 20 gallons per acre if applied by ground or in 3 to 5 gallons per acre if applied by air.

#### **BEE EXPOSURE**

Dibrom 8 Emulsive is highly toxic to bees exposed to direct treatment. To minimize hazard to bees, avoid applying more than two hours after sunrise or two hours before sunset, limiting application to times when bees are least active. Do not apply this product or allow it to drift to blooming crops or weeds while bees are visiting the treatment area. DO NOT apply if weather conditions favor dew formation the night of application. Bee colonies used for pollination must be removed from the field prior to treatment.

**Alfalfa**: Remove alfalfa leafcutting bee shelters during the application. DO NOT move bees into the treatment area for at least 12 hours after application.

**Carrot**: Do not apply during the main bloom period if another seed crop within ½ mile is being pollinated by honey bees. DO NOT return bee colonies to treatment area for a minimum of 48 hours after application.

Bee kills may result from applications of 1 pint/acre (0.9 lbs. a.i./A) or more to blooming alfalfa or carrot seed, even if all precautions are followed.

## **RESTRICTIONS / PRECAUTIONS**

- Dibrom 8 Emulsive is toxic to fish, aquatic invertebrates, and wildlife. This product should not be used under this SLN label where impact on listed threatened or endangered species is likely. Contact the National Marine Fisheries Service (NOAA Fisheries) or US Fish & Wildlife Services for information regarding aquatic species listed as threatened or endangered. Consult the federal label for additional restrictions and precautions to protect aquatic organisms.
- DO NOT apply within 24 hours following rainfall or in areas where intense or sustained rainfall is forecasted to occur within 24 hours following application.
- For use in accordance with this SLN label DO NOT apply this product through any type of irrigation system.

- DO NOT enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.
- Ground Application: DO NOT apply by ground within **25 feet** of lakes, reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries and commercial fish farm ponds, where wind is blowing or gusting toward these areas.
- Aerial Application: DO NOT apply by air within 150 feet of lakes, reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries and commercial fish farm ponds, where wind is blowing or gusting toward these areas.

FIFRA §24(c) Registrant:

AMVAC Chemical Corporation 4695 MacArthur Court, Suite 1200 Newport Beach, CA 92660 U.S.A. 1-888-462-6822