## **RESTRICTED USE PESTICIDE**

# **Due to Toxicity to Fish and Aquatic Organism**

Toxic to fish and aquatic organisms. For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.



# Section 24(c) Special Local Need Label

GROUP 3 INSECTICIDE

#### FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO

Warrior II with Zeon Technology® For Control of Lygus Bug in Seed Carrot

EPA Reg. No. 100-1295 EPA SLN No. ID-090001

This label expires and must not be distributed or used in accordance with this SLN registration after December 31, 2029

#### **DIRECTIONS FOR USE**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This SLN label and main EPA-registered label must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this SLN label and the main EPA-registered label.

CROP	INSECT	RATE fl. oz./Acre (lb ai/A)	COMMENTS
Seed Carrot	Lygus Bug Spp. <sup>1</sup>	1.28-1.92 (0.02-0.03)	<ul> <li>Apply with ground or air equipment using sufficient water to obtain full coverage of foliage. Apply in a minimum of 2 gallons per acre by air or 10 gallons per acre by ground. When foliage is dense and/or pest populations are high, 5-10 gallons per acre by air or 20 gallons per acre by ground and higher use rates are recommended. Use higher rates for increased residual control, such as prior to crop blooming. If application is made during bloom, use the lower rate of application.</li> <li>This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or broadleaf weeds. Do not apply the 1.92 oz/acre (0.03 lb ai/acre) rate of this product to blooming seed crops. Apply the 1.92oz/acre (0.03 lb ai/acre) rate as a pre-bloom or post-bloom spray only. Applications of the 1.28 oz/acre (0.02 lb ai/acre) rate of</li> </ul>

CROP	INSECT	RATE fl. oz./Acre (lb ai/A)	COMMENTS
			this product to blooming seed crops must be timed to coincide with periods of minimum bee activity between late evening and midnight. Be aware of bee hazard resulting from a cool evening and/or morning dew. Avoid direct application to bee shelters/hives. It may be advisable to remove bee shelters/hives during and for 2-3 days following application.  • Do not apply more than 0.12 lb ai (7.68 oz.) per acre per season.  • If Warrior II with Zeon Technology is used as a prebloom spray it is not advisable to use during bloom to reduce potential for the development of insecticide resistance.  • See resistance statement under General Directions for use on the EPA-registered label.

## **USE PRECAUTIONS/RESTRICTIONS**

- This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly
  to water or to areas where surface water is present, or to intertidal areas below the
  mean high water mark.
- This product is very highly toxic to fish and aquatic invertebrates, and should not be used
  where impact on listed threatened or endangered species is likely. Contact the National
  Marine Fisheries Service or U.S. Fish & Wildlife Service for information on listed threatened
  or endangered species (e.g. Bull trout, Chinook salmon). Consult the federal label for
  additional restrictions and precautions to protect aquatic organisms.
- Do not apply this product through any type of irrigation systems.
- For agricultural/commercial use only. Do not use in or around the home.
- No portion of the seed carrot plant, including but not limited to stubble, seed and seed screenings may be used or distributed for food or feed purposes. Do not use carrot seed treated with WARRIOR II with Zeon Technology for sprouting. Producers of carrot seed who use this product must inform, in writing, conditioners receiving seed produced on fields treated with this product. At the processing plant, processed seed must be labeled or tagged "Not for human or animal consumption". The processor must dispose of all seed screenings in such a way that they cannot be distributed or used for food or feed.
- Observe the spray drift precautions on the EPA-registered label.

©2024 Syngenta

Warrior II with Zeon Technology® and the Syngenta logo are trademarks of a Syngenta Group Company

24(c) Registrant: Syngenta Crop Protection, LLC P. O. Box 18300 Greensboro, NC 27419-8300

Label Code: ID1295106DA1024