

FLORASULAM	Group	2	HERBICIDE
FLUROXYPYR	Group	4	HERBICIDE

FIFRA Section 24(c) Special Local Need Label



Corteva Agriscience LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Starane® Flex

EPA Reg. No. 62719-604

EPA 24(c) Special Local Need Registration SLN ID-260005
For Distribution and Use Only Within the State of Idaho

Control of Broadleaf weeds in Seedlings or Established Grasses Grown for Seed

ATTENTION

- Follow all applicable directions, restrictions, and precautions on this Supplemental Label and the main EPA-registered label. It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This label and the federal label for this product must be accessible to the user at the time of the pesticide application.
- Read the label affixed to the container for Starane Flex Herbicide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Starane Flex Herbicide according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Starane Flex Herbicide.

Active Ingredient:

florasulam: N-(2,6-difluorophenyl)-8-fluoro-5-methoxy (1,2,4)triazolo(1,5-c)pyrimidine-2-sulfonamide 0.50%

fluroxypyr 1-methylheptyl ester: ((4-amino-3,5-dichloro-6-fluoro-2-pyridinyl)oxy) acetic acid, 1-methylheptyl ester 14.45%

Other Ingredients 85.05%

Total..... 100.00%

Acid equivalent – fluroxypyr – 10.03% - 0.833 lb/gal

Contains 0.042 lb of florasulam per gallon

Contains petroleum distillates

Keep Out of Reach of Children

WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Environmental Hazards

AQUATIC ORGANISM ADVISORY STATEMENT:

This pesticide may be toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark except as noted on appropriate labels. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

NON-TARGET ORGANISM ADVISORY STATEMENT:

This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

GROUNDWATER ADVISORY STATEMENT:

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

SURFACE WATER ADVISORY STATEMENT:

This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow water.

This product is classified as having high potential for reaching surface water via runoff for several days after application.

A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of florasulam from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall or irrigation is expected to occur within 48 hours.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on the label about personal protective equipment, restricted-entry interval, and notification to workers (as applicable). The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

For early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear:

- Coveralls
- Chemical-resistant gloves such as Barrier Laminate, Nitrile Rubber $\geq$ 14 mils, Neoprene Rubber $\geq$ 14 mils, or Viton $\geq$ 14 mils
- Shoes plus socks
- Protective eyewear

Directions for Use

Apply 13.5 fl oz of Starane® Flex Herbicide per acre per application (0.0044 pound active ingredient florasulam + 0.0879 pound acid equivalent fluroxypyr per acre) as a foliar application to control broadleaf weeds in seedling or established grasses. Apply Starane Flex in a minimum spray volume of 10 gallons per acre. May be applied to grass grown for seed only, including any grass in the Gramineae family (either green or cured). Not for use on sugarcane; grasses in the cereal grains group; grasses fed to or grazed by livestock; all pasture and range grasses; and grasses grown for hay or silage.

Specific Use Restrictions:

- **Do not** apply more than a total of 13.5 fl oz Starane® Flex Herbicide per acre (0.0044lb a.i./A florasulam and 0.0879 a.e./A fluroxypyr) in a single application.
- **Do not** exceed 1 application per year
- **Do not** apply less than 60 days before harvest.
- Restricted Entry Interval (REI): 24 hours
- **Do not** use treated grass for feed or fodder, or allow livestock to graze treated areas.
- **Chemigation:** Do not apply this product through any type of irrigation system.

™®Trademarks of Corteva Agriscience and its affiliated companies

R390-002

Accepted: 06/17/2026

Initial Printing