



**Section 24(c) Special Local Need Label**

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO**

**Fusilade® DX Herbicide  
For Quackgrass Control in Alfalfa Grown for Seed and Clover Grown for Seed**

**EPA Reg. No. 100-1070  
EPA SLN No. ID-950006**

Active Ingredient:	
Fluazifop-P-butyl	
Butyl (R)-2-[4-[[5-(trifluoromethyl)-2-pyridinyl]oxy]phenoxy]propanoate* .....	24.5%
Other Ingredients:	75.5%
Total:	100.0%

**This label expires and must not be distributed or used in accordance with this SLN registration after December 31, 2024**

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**Environmental Hazards:** This product is toxic to fish and aquatic invertebrates. Do not apply to areas where runoff into water bodies is expected. This product is toxic to grasses and other monocot plants. Minimize exposure to non-target plants and do not apply when weather conditions favor drift from target areas. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

**Groundwater Advisory:** Fluazifop-p-butyl is known to leach through soil into groundwater under certain conditions as a result of label use. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

**Surface Water Advisory:** This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow groundwater.

This product is classified as having high potential for reaching surface water via runoff for several months or more after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features, including ponds, streams, and springs will reduce the potential loading of fluazifop-p-butyl from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall is

forecasted to occur within 48 hours. Do not apply this product through any type of irrigation system.

**Chemigation:** Do not apply this product through any type of irrigation system.

#### **DIRECTIONS FOR USE**

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This label and the federal label for this product must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, precautions on this 24(c) label and the main EPA-registered label.
- **FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR PEST CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.**

#### **AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves made of barrier laminate, nitrile rubber  $\geq$  14 mils, neoprene rubber  $\geq$  14 mils, or Viton  $\geq$  14 mils
- Shoes plus socks

#### **ALFALFA AND CLOVER GROWN FOR SEED**

For control of quackgrass (*Agropyron repens*) in alfalfa and clover grown for seed in Idaho, make two applications of Fusilade DX Herbicide following the application directions on the EPA-registered label.

<b>WEED</b>	<b>APPLICATION</b>	<b>HEIGHT</b>	<b>RATE</b>
Quackgrass	1st 2nd	6 to 10 inches up to 10 inches	12 fl. oz/Acre 8 fl. oz/Acre

Make the second application 2-3 weeks after the first, but before the quackgrass exceeds 10 inches in height. Always use crop oil concentrate at 1% v/v.

**Restrictions:**

- For use only on fields of alfalfa and clover grown for seed.
  - Not for use on fields producing alfalfa or clover for livestock feed. No portion of the treated field, including seed, seed screenings, hay, forage or stubble, may be used for human or animal feed.
  - Producers of alfalfa seed and clover seed who use Fusilade DX Herbicide or cause the product to be used on fields they operate, are required to inform, in writing, conditioners receiving seed produced on treated fields of the product's use. A copy of this labeling is required to be provided to the conditioner by the producer.
  - Use of Fusilade DX Herbicide according to this labeling is deemed a non-food use.
  - All alfalfa seed and clover seed from fields treated with Fusilade DX Herbicide is to be tagged at the Conditioning Plant "NOT FOR HUMAN OR ANIMAL CONSUMPTION".
- 

©2021 Syngenta

Fusilade® and the Syngenta logo are trademarks of a Syngenta Group Company.

24(c) Registrant:  
Syngenta Crop Protection, LLC  
P.O. Box 18300  
Greensboro, NC 27419-8300

Label Code: ID1070049DA0421