

RESTRICTED USE PESTICIDE

Toxic to Fish and Aquatic Organisms

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification



FIFRA 24(c) SLN

**For distribution and use only within the
state of IDAHO**

DISCIPLINE 2EC®

**FIFRA 24(c) Special Local Need Label (SLN)
FOR CONTROL OF LYGUS AND THRIPS IN ALFALFA AND CLOVER SEED**

EPA REG. NO. 5481-517

EPA SLN NO. ID-040009

This label expires and must not be distributed or used in accordance with this SLN registration after December 31, 2029.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This label must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

ALFALFA & CLOVER (Seed Only)

Aphids, Lygus Bugs, Thrips, Spider Mites, Weevils: Apply 3.9 to 6.4 fl oz (0.06 to 0.1 lb. a.i.) per acre. Apply in a minimum of 5 gallons of water per acre by air equipment and a minimum of 20 gallons of water by ground equipment.

Do not apply more than 6.4 -fl oz (0.1 lb. a.i.) per acre per treatment. Do not make more than 3 applications in a crop year. Maintain a minimum of 21 days between Discipline 2EC treatments.

Do not apply by ground equipment within 25 feet or by air within 150 feet of lakes, reservoirs, rivers, permanent streams, marshes, or natural ponds, estuaries and commercial fish farm ponds.

For aerial applications, the spray boom should be mounted on the aircraft in a position to minimize drift caused by wingtip or rotor vortices. The minimum practical boom length should be used and must not exceed 75% of the wingspan or rotor diameter.

Make aerial or ground applications when the wind velocity favors on target deposition (approximately 3 to 7 MPH). Do not apply when wind velocity exceeds 7 MPH. Follow the spray drift precautions on the EPA registered label. Risk of exposure to aquatic areas can be reduced by avoiding applications when wind direction is toward the sensitive areas. Do not cultivate within 10 feet of the aquatic area so as to allow growth of a vegetative filter strip to alleviate drift and mitigate runoff.

RESTRICTIONS:

- Do not apply more than 19.2 fl oz (0.3 lb. a.i.) per acre per season.
- Do not cut current year's treated Alfalfa Seed or Clover Seed crop for hay or forage. Do not use treated seed or crop parts for food, feed or oil purposes.
- Do not graze current year's treated Alfalfa Seed or Clover Seed crop. Treated Alfalfa Seed or Clover Seed is not to be used for sprouting.
- All Alfalfa Seed and Clover Seed treated with DISCIPLINE 2EC is to be tagged "NOT FOR HUMAN OR ANIMAL CONSUMPTION" at the conditioning plant. It shall be the grower's responsibility to notify the conditioning plant of any Alfalfa Seed or Clover Seed crop treated with Discipline 2EC.
- All Alfalfa Seed or Clover Seed screenings shall be disposed of in such a way that they cannot be distributed or used for food or feed.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or broadleaf weeds. Do not apply this product to blooming alfalfa seed if bees are visiting the treatment area.

Refer to the EPA registered label for information on chemigation directions.

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Limitation of Warranty and Liability before using this product.

24(C) Registrant:

AMVAC Chemical Corporation
4695 MacArthur Court, Suite 1200
Newport Beach, CA 92660 U.S.A.
1-888-462-6822