



RESTRICTED USE PESTICIDE

DUE TO TOXICITY TO NON-TARGET INVERTEBRATES, MAMMALS, AND
AQUATIC ORGANISMS

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS
UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE
CERTIFIED APPLICATOR'S CERTIFICATION.

ABAMECTIN	GROUP	6	INSECTICIDE
-----------	-------	----------	-------------

FIFRA 24(c) Special Local Need Label (SLN)
FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO

Agri-Mek® SC Miticide/Insecticide
For Control of Spider Mites on Alfalfa Grown for Seed

EPA Reg. No. 100-1351

EPA SLN No. ID-120005

Active Ingredient:

Abamectin¹..... 8.0%

Other Ingredients:..... 92.0%

Total:..... 100.0%

KEEP OUT OF REACH OF CHILDREN
WARNING/AVISO

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. For terrestrial uses: Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from target areas. Do not contaminate water when disposing of equipment wash water or rinsate.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

SURFACE WATER ADVISORY

This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having a medium potential for reaching both surface water and aquatic sediment via runoff for several weeks to months after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of abamectin from runoff water and sediment.

Runoff Prevention: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow



or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

Do not apply this product to fields when soil moisture is nearing, at, or exceeding field capacity, and/or when a rain event likely to produce runoff from the treated field is forecasted by NOAA/NWS (National Weather Service), will occur within 48 hours.

CHEMIGATION

Do not apply this product through any type of irrigation system.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This SLN label and main EPA-registered label must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this SLN label and the main EPA-registered label.
- Failure to follow the directions for use and precautions on this label may result in poor pest control, crop injury, or illegal residues.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours. Exception: For grape girdling, cane turning, and tying in grapes, do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 4 days.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls over short pants and short-sleeved shirt
- Chemical-resistant gloves made of barrier laminate, butyl rubber $\geq$ 14 mils, nitrile rubber $\geq$ 14 mils, neoprene rubber $\geq$ 14 mils, polyvinyl chloride $\geq$ 14 mils, or Viton® $\geq$ 14 mils
- Shoes plus socks

Alfalfa Grown for Seed

Apply Agri-Mek SC when spider mites first appear. **Do not** apply more than 7 fluid ounces or more than two (2) applications of Agri-Mek SC per acre in any growing season. **Do not** apply a second application within 21 days of the last treatment.

Ground application: Apply 1.75-3.5 fluid ounces of product (0.01 - 0.02 pounds of active ingredient) per acre by ground application in a minimum of 20 gallons of water per acre.



Aerial application: Apply 2.5-3.5 fluid ounces of product (0.014 - 0.02 pounds of active ingredient) per acre by aerial application in a minimum of 10 gallons of water per acre.

Notes: (1) Alfalfa seed from treated fields may not be used for growing sprouts for humans or animal consumption. (2) **DO NOT** feed or graze alfalfa forage or fodder. **DO NOT** cut alfalfa for hay or forage. (3) Producers of alfalfa seed who use this product, or cause the product to be used on fields they operate, are required to inform, in writing, conditioners receiving seed produced on fields treated with this product. A copy of this labeling is required to be provided to the conditioner by the producer. Processed seed must be labeled "Not for human or animal consumption" at the processing plant. The processor must dispose of all seed screenings in such a way that they cannot be distributed or used for food or feed.

Precautions for Bees: This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees while bees are foraging in/or adjacent to the treatment area. Apply in the evening after bees have stopped foraging or in early morning before bees begin foraging.

©2026 Syngenta

Agri-Mek® and the Syngenta logo are trademarks of a Syngenta Group Company

24(c) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Label Code: ID1351142DA0326